

1350 Blair Drive • Suite A • Odenton, Maryland 21113 • (800) 220-3606 • FAX (410) 721-3733

November 19, 2018

Sharon Delgado 3922 Greenpeak Road Jarrettsville, MD 21084

Re:

Potable Well Sampling Results

3922 Greenpeak Road, Jarrettsville, MD 21084

Dear Ms. Delgado:

Groundwater & Environmental Services, Inc. (GES), on behalf of High's of Baltimore, would like to thank you for your cooperation in allowing us to conduct sampling of your drinking water well on October 25, 2018.

The water sample from your well was tested in accordance to USEPA standards for the presence of several petroleum related compounds including methyl tertiary butyl ether (MTBE). The results from the most recent sampling event demonstrate detections in your well water of MTBE at 7.8 micrograms per liter (μ g/L). For reference, the Maryland Department of the Environment (MDE) action level for MTBE is 20 μ g/L. A copy of the laboratory analysis report for this sampling event is attached to this correspondence.

The tests conducted on your drinking water well are part of an ongoing groundwater investigation being conducted in cooperation with the MDE and the Harford County Health Department (HCHD). Therefore we would like to continue sampling the water from your drinking water well on a periodic basis while the groundwater investigation is being conducted. We will notify you in advance of the next scheduled sampling event.

If you have any questions concerning this sampling event, please feel free to contact me at 800-220-3606, Ext. 3726. You may also contact Susan Bull of the MDE at 410-537-3499.

Sincerely,


GROUNDWATER & ENVIRONMENTAL SERVICES, INC.

Peter Reichardt

Project Hydrogeologist

Attachment

c: Susan Bull, MDE (3 copies & CD)
 Peter Smith, HCHD
 Herb Meade, CIFC (e-copy)
 Todd Passmore, Apex



Lancaster Laboratories Environmental

Analysis Report

PW 9871766

2003049

Dilution Factor

GES, Inc.

ELLE Sample #:

Matrix: Potable Water

ELLE Group #:

2426 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LancLabsEnv

Sample Description:

3922 Greenpeak Grab Potable Water

4101 Norrisville Rd, Jarrettsville, MD

Carroll Madonna - High's #130

Project Name:

03648

03648

Vinyl Chloride

Xylene (Total)

Submittal Date/Time: Collection Date/Time: 10/26/2018 15:40 10/25/2018 09:40

Carroll Madonna - High's #130

CAT No.	Analysis Name		CAS Number	Result	Method Detection Limit
GC/MS	Volatiles	EPA 524.2		ug/l	ug/l
03648	t-Amyl Methyl Ether		994-05-8	N.D.	0.1
03648	Benzene		71-43-2	N.D.	0.1
03648	t-Butyl Alcohol		75-65-0	N.D.	2.5
03648	Carbon Tetrachloride		56-23-5	N.D.	0.1
03648	Chlorobenzene		108-90-7	N.D.	0.1
03648	1,2-Dichlorobenzene		95-50-1	N.D.	0.1
03648	1,3-Dichlorobenzene		541-73-1	N.D.	0.1
03648	1,2-Dichloroethane		107-06-2	N.D.	0.1
03648	1,1-Dichloroethene		75-35-4	N.D.	0.1
03648	cis-1,2-Dichloroethene		156-59-2	N.D.	0.1
03648	trans-1,2-Dichloroethene		156-60-5	N.D.	0.1
03648	1,2-Dichloropropane		78-87-5	N.D.	0.1
03648	Ethyl t-Butyl Ether		637-92-3	N.D.	0.1
03648	Ethylbenzene		100-41-4	N.D.	0.1
03648	di-Isopropyl Ether		108-20-3	N.D.	0.1
03648	Methyl Tertiary Butyl Ether		1634-04-4	7.8	0.1
03648	Methylene Chloride		75-09-2	N.D.	0.3
03648	Naphthalene		91-20-3	N.D.	0.2
03648	Styrene		100-42-5	N.D.	0.1
03648	Tetrachloroethene		127-18-4	N.D.	0.1
03648	Toluene		108-88-3	N.D.	0.1
03648	1,2,4-Trichlorobenzene		120-82-1	N.D.	0.2
03648	1,1,1-Trichloroethane		71-55-6	N.D.	0.1
03648	1,1,2-Trichloroethane		79-00-5	N.D.	0.1
03648	Trichloroethene		79-01-6	N.D.	0.1
U3648	Minut Chlorida		75 04 4		

75-01-4

1330-20-7

Volatile compounds have been detected above the LOQ in the sample. Since a field reagent blank (trip blank) was not submitted with this sample any potential contribution of volatiles from the sampling/transport process cannot be assessed.

Sample Comments

0.1

0.1

Trip blank vials were not received by the laboratory for this sample group.

Laboratory Sample Analysis Record							
CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis	Analyst	Dilution
	VOCs- 25ml Water by 524.2	EPA 524.2	1	S183091AA	Date and Time 11/05/2018 21:41	Don V Viray	Factor 1

N.D.

N.D.



Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

BMQL	Below Minimum Quantitation Level	mL	milliliter(s)	
С	degrees Celsius	MPN	Most Probable Number	
cfu	colony forming units	N.D.	non-detect	
CP Units	cobalt-chloroplatinate units	ng	nanogram(s)	
F	degrees Fahrenheit	NTU	nephelometric turbidity units	
g	gram(s)	pg/L	picogram/liter	
IU	International Units	RL	Reporting Limit	
kg	kilogram(s)	TNTC	Too Numerous To Count	
L	liter(s)	μg	microgram(s)	
lb.	pound(s)	μL	microliter(s)	
m3	cubic meter(s)	umhos/cm	micromhos/cm	
meq	milliequivalents	MCL	Maximum Contamination Limit	
mg	milligram(s)			
<	less than			
>	greater than			
ppm	aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weigh very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas. parts per billion Results printed under this heading have been adjusted for moisture content. This increases the analyte weight			
ppb				
Dry weight basis				

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.



Lancaster Laboratories Environmental

Data Qualifiers

Qualifier	Definition
С	Result confirmed by reanalysis
D1	Indicates for dual column analyses that the result is reported from column 1
D2	Indicates for dual column analyses that the result is reported from column 2
E	Concentration exceeds the calibration range
K1	Initial Calibration Blank is above the QC limit and the sample result is ND
K2	Continuing Calibration Blank is above the QC limit and the sample result is ND
K3	Initial Calibration Verification is above the QC limit and the sample result is ND
K4	Continuing Calibration Verification is above the QC limit and the sample result is ND
J (or G, I, X)	Estimated value >= the Method Detection Limit (MDL or DL) and < the Limit of Quantitation (LOQ or RL)
Р	Concentration difference between the primary and confirmation column >40%. The lower result is reported.
P^	Concentration difference between the primary and confirmation column > 40%. The higher result is reported.
U	Analyte was not detected at the value indicated
V	Concentration difference between the primary and confirmation column >100%. The reporting limit is raised
	due to this disparity and evident interference.
W	The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.
Z	Laboratory Defined - see analysis report

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.