

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-1	5-Jun-12	57.05	47.38	9.67	<1	<1	<1	<2	<2	<1	3.1	NS	<1	NS
	6-Sep-12	57.05	46.01	11.04	<1	<1	<1	<2	<2	<1	16	NS	<1	NS
	4-Dec-12	57.05	46.12	10.93	<1	<1	<1	<2	<2	<1	11	<0.1	<1	NS
	4-Mar-13	57.05	45.95	11.10	<1	<1	<1	<2	<2	<1	1.5	<0.1	<1	NS
	4-Jun-13	57.05	45.70	11.35	<1	<1	<1	<2	<2	<1	3.0	<0.1	<1	NS
	30-Jan-14	57.05	47.96	9.09	<1	<1	<1	<2	<2	<1	62	NS	<1	NS
	28-Apr-14	57.05	47.60	9.45	<1	<1	<1	<2	<2	<1	5.4	NS	<1	NS
	24-Oct-14	57.05	46.39	10.66	<1	<1	<1	<2	<2	<1	1.2	NS	<1	NS
	23-Jan-15	57.05	45.42	11.63	<1	<1	<1	<2	<2	<1	10	<0.1	<1	NS
	24-Apr-15	57.05	45.85	11.20	<1	<1	<1	<2	<2	<1	2.7	<0.1	<1	NS
	30-Jul-15	57.05	45.41	11.64	<1	<1	<1	<2	<2	<1	2.0	<0.1	<1	NS
	21-Sep-15	57.05	46.08	10.97	NS	NS	NS	NS	NS	NS	1.7	NS	NS	NS
	5-Oct-15	57.05	46.21	10.84	NS	NS	NS	NS	NS	NS	0.62	NS	NS	NS
	19-Oct-15	57.05	46.38	10.67	<5	<5	<5	<10	<10	<5	0.51	NS	<5	NS
	7-Jan-16	57.05	46.57	10.48	<1	<1	<1	<2	<2	<1	2.1	NS	<1	NS
	23-Feb-16	57.05	46.98	10.07	NS	NS	NS	NS	NS	NS	1.0	NS	NS	NS
	22-Apr-16	57.05	46.46	10.59	<1	<1	<1	<2	<2	<1	3.6	NS	<1	7.6

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-2	12-Jun-12	56.37	46.94	9.43	<1	<1	<1	<2	<2	<1	<b>6.6</b>	NS	<b>1.2</b>	NS
	6-Sep-12	56.37	45.45	10.92	<1	<1	<1	<2	<2	<1	<b>7.7</b>	NS	<1	NS
	4-Dec-12	56.37	45.55	10.82	<1	<1	<1	<2	<2	<1	<b>20</b>	<0.1	<b>8</b>	NS
	4-Mar-13	56.37	45.36	11.01	<1	<1	<1	<2	<2	<1	<b>28</b>	<b>0.44</b>	<b>5.9</b>	NS
	4-Jun-13	56.37	45.12	11.25	<1	<1	<1	<2	<2	<1	<b>15</b>	<0.1	<1	NS
	30-Jan-14	56.37	47.47	8.90	<1	<1	<1	<2	<2	<1	<b>21</b>	NS	<b>4.6</b>	NS
	28-Apr-14	56.37	47.15	9.22	<1	<1	<1	<2	<2	<1	<b>12</b>	NS	<b>2.2</b>	NS
	23-Jul-14	56.37	44.93	11.44	<1	<1	<1	<2	<2	<1	<b>3.3</b>	NS	<1	NS
	24-Oct-14	56.37	45.88	10.49	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	23-Jan-15	56.37	44.90	11.47	<1	<1	<1	<2	<2	<1	<b>13</b>	<0.1	<1	NS
	24-Apr-15	56.37	45.36	11.01	<1	<1	<1	<2	<2	<1	<b>12</b>	<0.1	<1	NS
	30-Jul-15	56.37	44.88	11.49	<1	<1	<1	<2	<2	<1	<b>1.4</b>	<0.1	<1	NS
	21-Sep-15	56.37	45.61	10.76	NS	NS	NS	NS	NS	NS	<b>1.9</b>	NS	NS	NS
	5-Oct-15	56.37	45.75	10.62	NS	NS	NS	NS	NS	NS	<b>5.6</b>	NS	NS	NS
	19-Oct-15	56.37	45.91	10.46	<5	<5	<5	<10	<10	<5	<b>0.63</b>	NS	<5	NS
	7-Jan-16	56.37	46.08	10.29	<1	<1	<1	<2	<2	<1	<b>3.1</b>	NS	<1	NS
	23-Feb-16	56.37	46.51	9.86	NS	NS	NS	NS	NS	NS	<b>0.94</b>	NS	NS	NS
	22-Apr-16	56.37	45.94	10.43	<1	<1	<1	<2	<2	<1	<b>3.8</b>	NS	<1	9.65

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-3	5-Jun-12	50.55	41.82	8.73	<1	<1	<1	<2	<2	<1	<b>100</b>	NS	<b>4.1</b>	NS
	6-Sep-12	50.55	39.87	10.68	<1	<1	<1	<2	<2	<1	<b>0.61</b>	NS	<b>2.7</b>	NS
	4-Dec-12	50.55	39.92	10.63	<1	<1	<1	<1	<1	<1	<b>2.6</b>	<0.1	<b>2.8</b>	NS
	4-Mar-13	50.55	39.75	10.80	<1	<1	<1	<1	<1	<1	<b>0.48</b>	<0.1	<b>2.5</b>	NS
	4-Jun-13	50.55	39.50	11.05	<1	<1	<1	<2	<2	<1	<b>0.34</b>	<0.1	<1	NS
	30-Jan-14	50.55	42.00	8.55	<1	<1	<1	<2	<2	<1	<b>12</b>	NS	<b>2.3</b>	NS
	28-Apr-14	50.55	41.90	8.65	<1	<1	<1	<2	<2	<1	<b>2.2</b>	NS	<b>1.4</b>	NS
	23-Jul-14	50.55	39.33	11.22	<1	<1	<1	<2	<2	<1	<b>0.27</b>	NS	<1	NS
	24-Oct-14	50.55	40.63	9.92	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	23-Jan-15	50.55	39.42	11.13	<1	<1	<1	<2	<2	<1	<b>1.3</b>	<0.1	<1	NS
	24-Apr-15	50.55	40.09	10.46	<1	<1	<1	<2	<2	<1	<b>0.26</b>	<0.1	<1	NS
	30-Jul-15	50.55	39.55	11.00	<1	<1	<1	<2	<2	<1	<b>0.1</b>	<0.1	<1	NS
	21-Sep-15	50.55	40.20	10.35	NS	NS	NS	NS	NS	NS	<b>0.81</b>	NS	NS	NS
	5-Oct-15	50.55	40.47	10.08	NS	NS	NS	NS	NS	NS	<b>2.0</b>	NS	NS	NS
	19-Oct-15	50.55	40.63	9.92	<5	<5	<5	<10	<10	<5	<b>0.77</b>	NS	<5	NS
	7-Jan-16	50.55	40.72	9.83	<1	<1	<1	<2	<2	<1	<b>2.3</b>	NS	<1	NS
	23-Feb-16	50.55	41.18	9.37	NS	NS	NS	NS	NS	NS	<b>0.48</b>	NS	NS	NS
	22-Apr-16	50.55	40.79	9.76	<1	<1	<1	<2	<2	<1	<b>3.8</b>	NS	<1	<1.4

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-4	5-Jun-12	53.40	44.10	9.30	<1	<1	<1	<2	<2	<1	0.1	NS	<1	NS
	5-Sep-12	53.40	42.55	10.85	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	4-Dec-12	53.40	42.64	10.76	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	4-Mar-13	53.40	42.47	10.93	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	4-Jun-13	53.40	42.22	11.18	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	30-Jan-14	53.40	44.51	8.89	<1	<1	<1	<2	<2	<1	11	NS	<1	NS
	28-Apr-14	53.40	44.23	9.17	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	23-Jul-14	53.40	41.98	11.42	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	24-Oct-14	53.40	42.98	10.42	<1	<1	<1	<2	<2	<1	0.15	NS	<1	NS
	23-Jan-15	53.40	41.92	11.48	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	24-Apr-15	53.40	42.51	10.89	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jul-15	53.40	42.01	11.39	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	21-Sep-15	53.40	42.69	10.71	NS	NS	NS	NS	NS	NS	1.0	NS	NS	NS
	5-Oct-15	53.40	42.88	10.52	NS	NS	NS	NS	NS	NS	0.85	NS	NS	NS
	19-Oct-15	53.40	43.05	10.35	<5	<5	<5	<10	<10	<5	0.53	NS	<5	NS
	7-Jan-16	53.40	43.15	10.25	<1	<1	<1	<2	<2	<1	0.85	NS	<1	NS
	23-Feb-16	53.40	43.58	9.82	NS	NS	NS	NS	NS	NS	1.2	NS	NS	NS
	22-Apr-16	53.40	43.02	10.38	<1	<1	<1	<2	<2	<1	5.4	NS	<1	15.2

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-5	5-Jun-12	61.08	51.42	9.66	<1	<1	<1	<2	<2	<1	1.2	NS	<1	NS
	6-Sep-12	61.08	50.01	11.07	<1	<1	<1	<2	<2	<1	1.9	NS	<1	NS
	4-Dec-12	61.08	50.12	10.96	<1	<1	<1	<2	<2	<1	0.38	<0.1	<1	NS
	4-Mar-13	61.08	49.93	11.15	<1	<1	<1	<2	<2	<1	1.5	<0.1	<1	NS
	4-Jun-13	61.08	49.68	11.40	<1	<1	<1	<2	<2	<1	1.6	<0.1	<1	NS
	30-Jan-14	61.08	51.93	9.15	<1	<1	<1	<2	<2	<1	36	NS	<1	NS
	28-Apr-14	61.08	51.62	9.46	<1	<1	<1	<2	<2	<1	3.2	NS	<1	NS
	24-Jul-14	61.08	49.46	11.62	<1	<1	<1	<2	<2	<1	0.34	NS	<1	NS
	24-Oct-14	61.08	50.41	10.67	<1	<1	<1	<2	<2	<1	2.7	NS	<1	NS
	23-Jan-15	61.08	49.42	11.66	<1	<1	<1	<2	<2	<1	1.4	<0.1	<1	NS
	24-Apr-15	61.08	49.89	11.19	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jul-15	61.08	49.40	11.68	<1	<1	<1	<2	<2	<1	0.32	<0.1	<1	NS
	21-Sep-15	61.08	50.05	11.03	NS	NS	NS	NS	NS	NS	0.65	NS	NS	NS
	5-Oct-15	61.08	50.23	10.85	NS	NS	NS	NS	NS	NS	1.6	NS	NS	NS
	19-Oct-15	61.08	50.41	10.67	<5	<5	<5	<10	<10	<5	0.53	NS	<5	NS
	7-Jan-16	61.08	50.60	10.48	<1	<1	<1	<2	<2	<1	2.8	NS	<1	NS
	23-Feb-16	61.08	51.04	10.04	NS	NS	NS	NS	NS	NS	0.90	NS	NS	NS
	22-Apr-16	61.08	50.51	10.57	<1	<1	<1	<2	<2	<1	3.20	NS	<1	2.16

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-9	6-Jun-12	46.95	40.41	6.54	1.1	<1	<1	<2	1.1e	<1	3.7	NS	4.4	NS
	6-Sep-12	46.95	36.99	9.96	<1	<1	<1	<2	<2	<1	1.1	NS	<1	NS
	4-Dec-12	46.10	36.18	9.92	<1	<1	<1	<2	<2	<1	0.64	<0.1	<1	NS
	4-Mar-13	46.10	35.98	10.12	<1	<1	<1	<2	<2	<1	0.47	<0.1	<1	NS
	4-Jun-13	46.10	35.72	10.38	<1	<1	<1	<2	<2	<1	0.6	<0.1	<1	NS
	30-Jan-14	46.10	39.47	6.63	<1	<1	<1	<2	<2	<1	5.9	NS	1.5	NS
	28-Apr-14	46.10	39.55	6.55	1.7	<1	1.7	<2	1.7	<1	0.89	NS	3.2	NS
	24-Jul-14	46.10	35.73	10.37	<1	<1	<1	<2	<2	<1	1.4	NS	4.5	NS
	24-Oct-14	46.60	38.60	8.00	<1	<1	<1	<2	<2	<1	1.2	NS	1.5	NS
	22-Jan-15	46.60	37.04	9.56	<1	<1	<1	<2	<2	<1	2.3	<0.1	2.4	NS
	24-Apr-15	46.60	37.31	9.29	<1	<1	<1	<2	<2	<1	3.1	<0.1	3.2	NS
	30-Jul-15	46.60	37.41	9.19	<1	<1	<1	<2	<2	<1	0.26	<0.1	5.1	NS
	21-Oct-15	46.60	38.60	8.00	<1	<1	<1	<2	<2	<1	2.3	NS	2.8	NS
	5-Jan-16	46.60	38.16	8.44	<1	<1	<1	<2	<2	<1	7.4	NS	5.6	NS
	23-Feb-16				NS	NS	NS	NS	NS	NS	0.45	NS	NS	NS
	22-Apr-16	46.60	38.56	8.04	<1	<1	<1	<2	<2	<1	4	NS	1.9	13.4

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-10R	4-Dec-12	48.81	36.90	11.91	<1	<1	<1	<2	<2	<1	<b>0.15</b>	<0.1	<1	NS
	4-Mar-13	48.81	38.62	10.19	<1	<1	<1	<2	<2	<1	<b>0.15</b>	<0.1	<1	NS
	3-Jun-13	48.70	38.23	10.47	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jan-14	48.70	41.86	6.84	<1	<1	<1	<2	<2	<1	<b>11</b>	NS	<1	NS
	28-Apr-14	48.70	41.49	7.21	<1	<1	<1	<2	<2	<1	<0.1	NS	<b>1.3</b>	NS
	29-Jul-14	48.70	38.16	10.54	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	1.57
	15-Aug-14	48.70	38.88	9.82	<1	<1	<1	<2	<2	<1	<b>0.87</b>	<0.1	<b>1.2</b>	<1.4
	19-Sep-14	48.70	38.93	9.77	<1	<1	<1	<2	<2	<1	<b>0.88</b>	<0.1	<b>2.3</b>	<1.4
	24-Oct-14	48.70	40.09	8.61	<1	<1	<1	<2	<2	<1	<b>0.2</b>	<0.1	<1	<1.4
	20-Nov-14	48.70	39.30	9.40	<1	<1	<1	<2	<2	<1	<b>0.35</b>	<0.1	<1	<1.4
	23-Jan-15	48.70	38.71	9.99	<1	<1	<1	<2	<2	<1	<b>0.37</b>	<0.1	<b>1.9</b>	NS
	24-Apr-15	48.70	39.50	9.20	<1	<1	<1	<2	<2	<1	<b>0.12</b>	<0.1	<1	NS
	30-Jul-15	48.70	38.99	9.71	<1	<1	<1	<2	<2	<1	<b>2.5</b>	<0.1	<b>1.7</b>	NS
	21-Oct-15	48.70	40.25	8.45	<1	<1	<1	<2	<2	<1	<b>0.16</b>	NS	<1	NS
	7-Jan-16	48.70	40.61	8.09	<1	<1	<1	<2	<2	<1	<b>1.2</b>	NS	<1	NS
	23-Feb-16	48.70	41.36	7.34	NS	NS	NS	NS	NS	NS	<b>1.9</b>	NS	NS	NS
	22-Apr-16	48.70	40.65	8.05	<1	<1	<1	<2	<2	<1	<b>5.1</b>	NS	<1	8.52

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-11	5-Jun-12	41.49	33.85	7.64	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	41.49	31.97	9.52	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	4-Dec-12	41.49	31.98	9.51	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Mar-13	41.49	31.76	9.73	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Jun-13	41.49	31.52	9.97	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jan-14	41.49	34.86	6.63	<1	<1	<1	<2	<2	<1	<b>12</b>	NS	<1	NS
	28-Apr-14	41.49	34.28	7.21	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	24-Jul-14	41.49	31.38	10.11	<1	<1	<1	<2	<2	<1	<b>0.38</b>	NS	<1	NS
	24-Oct-14	41.49	32.81	8.68	<1	<1	<1	<2	<2	<1	<b>0.15</b>	NS	<1	NS
	23-Jan-15	41.49	31.53	9.96	<1	<1	<1	<2	<2	<1	<b>0.13</b>	<0.1	<1	NS
	23-Apr-15	41.49	32.41	9.08	<1	<1	<1	<2	<2	<1	<b>0.12</b>	<0.1	<1	NS
	30-Jul-15	41.49	31.92	9.57	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	21-Oct-15	41.49	33.07	8.42	<1	<1	<1	<2	<2	<1	<0.11	NS	<1	NS
	7-Jan-16	41.49	33.11	8.38	<1	<1	<1	<2	<2	<1	<b>3.0</b>	NS	<1	NS
	23-Feb-16	41.49	33.80	7.69	NS	NS	NS	NS	NS	NS	<b>2.0</b>	NS	NS	NS
	22-Apr-16	41.49	33.10	8.39	<1	<1	<1	<2	<2	<1	<b>3.8</b>	NS	<1	28.4

NS - Not Sampled



Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-12	5-Jun-12	44.46	36.85	7.61	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	44.46	34.52	9.94	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	4-Dec-12	44.46	34.53	9.93	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Mar-13	44.46	34.35	10.11	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Jun-13	44.46	34.08	10.38	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	1-Feb-14	44.46	37.00	7.46	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	28-Apr-14	44.46	36.68	7.78	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	23-Jul-14	44.46	33.98	10.48	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	24-Oct-14	44.46	35.62	8.84	<1	<1	<1	<2	<2	<1	<b>0.38</b>	NS	<1	NS
	23-Jan-15	44.46	34.20	10.26	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Apr-15	44.46	35.13	9.33	<1	<1	<1	<2	<2	<1	<b>0.17</b>	<0.1	<1	NS
	30-Jul-15	44.46	34.55	9.91	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	20-Oct-15	44.46	35.70	8.76	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	7-Jan-16	44.46	35.61	8.85	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	21-Apr-16	44.46	35.54	8.92	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	TBD

NS - Not Sampled

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-13	6-Jun-12	41.70	34.94	6.76	<1	<1	<1	<2	<2	<1	<b>3.8</b>	NS	<b>1.2</b>	NS
	6-Sep-12	41.70	32.43	9.27	<1	<1	<1	<2	<2	<1	<b>0.86</b>	NS	<b>1.1</b>	NS
	4-Dec-12	41.70	32.41	9.29	<1	<1	<1	<2	<2	<1	<b>1</b>	<0.1	<1	NS
	4-Mar-13	41.70	32.21	9.49	<1	<1	<1	<2	<2	<1	<b>9.5</b>	<0.1	<1	NS
	4-Jun-13	41.70	31.92	9.78	<1	<1	<1	<2	<2	<1	<b>33</b>	<0.1	<1	NS
	30-Jan-14	41.70	36.15	5.55	<1	<1	<1	<2	<2	<1	<b>7.7</b>	NS	<1	NS
	28-Apr-14	41.70	35.67	6.03	<1	<1	<1	<2	<2	<1	<b>0.35</b>	NS	<1	NS
	29-Jul-14	41.70	31.82	9.88	<1	<1	<1	<2	<2	<1	<b>0.46</b>	<0.1	<1	<1.4
	14-Aug-14	41.70	32.77	8.93	<1	<1	<1	<2	<2	<1	<b>0.54</b>	<0.1	<1	<1.4
	19-Sep-14	41.70	32.90	8.80	<1	<1	<1	<2	<2	<1	<b>2.1</b>	<0.1	<1	<1.4
	19-Nov-14	41.70	33.16	8.54	<1	<1	<1	<2	<2	<1	<b>0.42</b>	<0.1	<1	<1.4
	23-Apr-15	41.70	33.78	7.92	<1	<1	<1	<2	<2	<1	<b>0.63</b>	<0.1	<1	NS
	30-Jul-15	41.70	33.23	8.47	<1	<1	<1	<2	<2	<1	<b>0.22</b>	<0.1	<1	NS
	21-Oct-15	41.70	34.45	7.25	<1	<1	<1	<2	<2	<1	<b>0.13</b>	NS	<1	NS
	7-Jan-16	41.70	34.31	7.39	<1	<1	<1	<2	<2	<1	<b>1.4</b>	NS	<b>1.1</b>	NS
	23-Feb-16	41.70	35.13	6.57	NS	NS	NS	NS	NS	NS	<b>1.2</b>	NS	NS	NS
	22-Apr-16	41.70	34.34	7.36	<1	<1	<1	<2	<2	<1	<b>4.7</b>	NS	<1	53.8

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-14	6-Jun-12	41.38	35.44	5.94	1.2	<1	19	3.1	24.3	<1	17	NS	210	NS
	6-Sep-12	41.38	32.04	9.34	<1	<1	<1	<2	<2	<1	180	NS	6.3	NS
	4-Dec-12	41.38	32.04	9.34	6.2	<1	31	104	141.2	<1	9700	4.7	250	NS
	4-Mar-13	41.38	31.81	9.57	<1	<1	5.2	<2	5.2	<1	92	0.24	40	NS
	4-Jun-13	41.38	31.32	10.06	<1	<1	<1	<2	<2	<1	410	<0.1	3.6	NS
	30-Jan-14	41.38	36.74	4.64	2.9	<1	40	8	<2	<1	21	NS	110	NS
	28-Apr-14	41.38	36.33	5.05	2.5	<1	39	9.3	50.8	<1	1.5	NS	110	NS
	29-Jul-14	41.38	31.52	9.86	<1	<1	<1	<2	<2	<1	9.8	<0.1	8.8	<1.4
	14-Aug-14	41.38	33.12	8.26	<1	<1	9.0	<2	9	<1	23	0.17	81	<1.4
	19-Sep-14	41.38	34.06	7.32	1.3	<1	22	3.1	26.4	<1	210	0.39	140	<1.4
	24-Oct-14				<1	<1	3.0	<2	3	<1	38	0.13	24	<1.4
	19-Nov-14	41.38	32.04	9.34	<1	<1	<1	<2	<2	<1	42	0.2	13	<1.4
	23-Jan-15	41.38	33.60	7.78	<1	<1	<1	<2	<2	<1	130	<0.1	12	NS
	23-Apr-15	41.38	34.30	7.08	<1	<1	10	<2	10	<1	19	0.26	59	NS
	30-Jul-15	41.38	33.75	7.63	<1	<1	6.6	<2	6.6	<1	89	0.19	54	NS
	21-Sep-15	41.38	34.91	6.47	NS	NS	NS	NS	NS	NS	2.3	NS	NS	NS
	5-Oct-15	41.38	34.93	6.45	NS	NS	NS	NS	NS	NS	22	NS	NS	NS
	19-Oct-15	41.38	35.04	6.34	<5	<5	26	<10	26	<5	3.3	NS	170	NS
	5-Jan-16	41.38	34.79	6.59	1.2	<1.0	30	7.0	38.2	<1.0	2.8	NS	170	NS
	23-Feb-16	41.38	35.33	6.05	NS	NS	NS	NS	NS	NS	0.91	NS	NS	NS
	22-Apr-16	41.38	34.84	6.54	<1	<1	1.3	<2	1.3	<1	0.97	NS	10	<1.4

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-15	5-Jun-12	35.01	27.73	7.28	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	35.01	26.70	8.31	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	1-Oct-12	35.01	26.79	8.22	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	5-Nov-12	35.01	26.82	8.19	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Dec-12	35.01	26.63	8.38	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Mar-13	35.01	26.35	8.66	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	6-May-13	35.01	26.20	8.81	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Jun-13	35.01	26.14	8.87	<1	<1	<1	<2	<2	<1	<b>1.5</b>	<0.1	<1	NS
	17-Jun-13	35.01	26.70	8.31	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jul-13	35.01	27.97	7.04	NS	NS	NS	NS	NS	NS	<b>0.11</b>	NS	NS	NS
	21-Aug-13	35.01	28.22	6.79	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Sep-13	35.01	28.45	6.56	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Oct-13	35.01	28.28	6.73	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	22-Nov-13	35.01	28.27	6.74	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Dec-13	35.01	28.42	6.59	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	30-Jan-14	35.01	28.78	6.23	<1	<1	<1	<2	<2	<1	<b>0.2</b>	NS	<b>67</b>	NS
	24-Feb-14	35.01	28.50	6.51	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Mar-14	35.01	28.21	6.80	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	28-Apr-14	35.01	27.83	7.18	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	20-May-14	35.01	27.56	7.45	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jun-14	35.01	26.32	8.69	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	14-Aug-14	35.01	26.25	8.76	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	35.01	25.90	9.11	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	20-Nov-14	35.01	26.32	8.69	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	22-Jan-15	35.01	25.53	9.48	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	18-Feb-15	35.01	26.24	8.77	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	26-Mar-15	35.01	26.10	8.91	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Apr-15	35.01	25.97	9.04	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-May-15	35.01	25.87	9.14	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	29-Jul-15	35.01	25.78	9.23	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	20-Aug-15	35.01	25.57	9.44	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Sep-15	35.01	26.55	8.46	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	20-Oct-15	35.01	26.85	8.16	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	19-Nov-15	35.01	26.96	8.05	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	17-Dec-15	35.01	27.03	7.98	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	22-Feb-16	35.01	27.14	7.87	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	16-Mar-16	35.01	26.76	8.25	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	22-Apr-16				<1	<1	<1	<2	<2	<1	<0.1	NS	<1	<1.4

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-16	5-Jun-12	35.55	28.70	6.85	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	35.55	27.27	8.28	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	1-Oct-12	35.55	27.35	8.20	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	5-Nov-12	35.55	27.40	8.15	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Dec-12	35.55	27.19	8.36	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	7-Jan-13	35.55	27.10	8.45	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	5-Feb-13	35.55	26.95	8.60	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Mar-13	35.55	26.92	8.63	<1	<1	<1	<2	<2	<1	<b>0.18</b>	<0.1	<1	NS
	8-Apr-13	35.55	26.84	8.71	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	6-May-13	35.55	26.77	8.78	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Jun-13	35.55	26.71	8.84	<1	<1	<1	<2	<2	<1	<b>0.13</b>	<0.1	<1	NS
	17-Jun-13	35.55	27.48	8.07	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jul-13	35.55	28.99	6.56	NS	NS	NS	NS	NS	NS	<b>0.21</b>	NS	NS	NS
	21-Aug-13	35.55	29.27	6.28	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Sep-13	35.55	29.50	6.05	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Oct-13	35.55	29.17	6.38	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Nov-13	35.55	29.16	6.39	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Dec-13	35.55	29.37	6.18	NS	NS	NS	NS	NS	NS	<b>0.19</b>	NS	NS	NS
	30-Jan-14	35.55	29.62	5.93	<1	<1	<1	<2	<2	<1	<b>0.24</b>	NS	<1	NS
	24-Feb-14	35.55	29.35	6.20	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Mar-14	35.55	29.24	6.31	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	28-Apr-14	35.55	28.79	6.76	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	20-May-14	35.55	28.53	7.02	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jun-14	35.55	27.03	8.52	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	23-Jul-14	35.55	26.47	9.08	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	14-Aug-14	35.55	27.07	8.48	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	35.55	26.63	8.92	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	20-Nov-14	35.55	27.40	8.15	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	17-Dec-14	35.55	27.40	8.15	<1	<1	<1	<2	<2	<1	<b>0.10</b>	<0.1	<2	NS
	22-Jan-15	35.55	26.24	9.31	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	18-Feb-15	35.55	27.18	8.37	<1	<1	<1	<2	<2	<1	<b>0.10</b>	<0.1	<1	NS
	25-Mar-15	35.55	27.02	8.53	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Apr-15	35.55	27.10	8.45	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-May-15	35.55	26.78	8.77	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Jun-15	35.55	26.61	8.94	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-16	29-Jul-15	35.55	26.65	8.90	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	20-Aug-15	35.55	26.36	9.19	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Sep-15	35.55	27.45	8.10	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	20-Oct-15	35.55	27.79	7.76	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	19-Nov-15	35.55	27.85	7.70	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	17-Dec-15	35.55	27.93	7.62	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	5-Jan-16	35.55	27.71	7.84	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	22-Feb-16	35.55	28.10	7.45	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	16-Mar-16	35.55	27.67	7.88	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Apr-16	35.55	27.47	8.08	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	TBD

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-17	5-Jun-12	35.49	27.72	7.77	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	35.49	27.16	8.33	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	4-Dec-12	35.49	27.10	8.39	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Mar-13	35.49	26.81	8.68	<1	<1	<1	<2	<2	<1	<b>1.0</b>	<0.1	<1	NS
	4-Jun-13	35.49	26.59	8.90	<1	<1	<1	<2	<2	1.1	<0.1	<0.1	<1	NS
	1-Feb-14	35.49	28.95	6.54	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	28-Apr-14	35.49	27.95	7.54	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	23-Jul-14	35.49	26.23	9.26	<1	<1	<1	<2	<2	<1	<b>0.13</b>	NS	<1	NS
	14-Aug-14	35.49	26.51	8.98	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	35.49	28.22	7.27	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	20-Nov-14	35.49	26.87	8.62	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	22-Jan-15	35.49	25.91	9.58	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Apr-15	35.49	26.35	9.14	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	29-Jul-15	35.49	25.98	9.51	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	20-Oct-15	35.49	27.03	8.46	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	22-Apr-16	35.49	26.75	8.74	<1	<1	<1	<2	<2	<1	<b>0.14</b>	NS	<1	<1.4

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-18	5-Jun-12	35.82	28.73	7.09	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	35.82	28.34	7.48	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	4-Dec-12	35.82	28.30	7.52	<1	<1	<1	<2	<2	<1	<b>0.23</b>	<0.1	<1	NS
	4-Mar-13	35.82	27.98	7.84	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Jun-13	35.82	27.79	8.03	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jan-14	35.82	30.05	5.77	<1	<1	<1	<2	<2	<1	<b>0.13</b>	NS	<1	NS
	28-Apr-14	35.82	28.83	6.99	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	23-Jul-14	35.82	27.34	8.48	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	14-Aug-14	35.82	27.56	8.26	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	35.82	27.36	8.46	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	23-Oct-14	35.82	27.83	7.99	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	20-Nov-14	35.82	27.91	7.91	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	21-Jan-15	35.82	27.01	8.81	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Apr-15	35.82	27.32	8.50	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-Jul-15	35.82	27.08	8.74	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	19-Oct-15	35.82	28.03	7.79	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Jan-16	35.82	27.98	7.84	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	21-Apr-16	35.82	27.65	8.17	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	TBD

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-19	5-Jun-12	38.85	32.60	6.25	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	38.85	29.91	8.94	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	1-Oct-12	38.85	30.00	8.85	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	5-Nov-12	38.85	30.07	8.78	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Dec-12	38.85	29.89	8.96	<1	<1	<1	<2	<2	<1	<b>0.86</b>	<0.1	<1	NS
	7-Jan-13	38.85	29.82	9.03	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<b>5.1</b>	NS
	5-Feb-13	38.85	29.67	9.18	<1	<1	<1	<2	<2	<1	<b>0.17</b>	<0.1	<1	NS
	4-Mar-13	38.85	29.65	9.20	<1	<1	<1	<2	<2	<1	<b>0.13</b>	<0.1	<b>1</b>	NS
	8-Apr-13	38.85	29.55	9.30	<1	<1	<1	<2	<2	<1	<b>1.3</b>	<0.1	<1	NS
	6-May-13	38.85	29.47	9.38	<1	<1	<1	<2	<2	<1	<b>0.13</b>	<0.1	<1	NS
	4-Jun-13	38.85	29.41	9.44	<1	<1	<1	<2	<2	<1	<b>0.36</b>	<0.1	<1	NS
	17-Jun-13	38.85	30.97	7.88	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jul-13	38.85	32.96	5.89	NS	NS	NS	NS	NS	NS	<b>0.14</b>	NS	NS	NS
	21-Aug-13	38.85	33.33	5.52	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Sep-13	38.85	33.51	5.34	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Oct-13	38.85	32.85	6.00	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Nov-13	38.85	32.99	5.86	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Dec-13	38.85	33.23	5.62	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	30-Jan-14	38.85	33.23	5.62	<1	<1	<1	<2	<2	<1	<b>0.12</b>	NS	<1	NS
	24-Feb-14	38.85	32.97	5.88	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Mar-14	38.85	33.06	5.79	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	28-Apr-14	38.85	32.65	6.20	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	20-May-14	38.85	32.33	6.52	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jun-14	38.85	29.95	8.90	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	29-Jul-14	38.85	29.33	9.52	<1	<1	<1	<2	<2	<1	<b>0.14</b>	<0.1	<1	<1.4
	14-Aug-14	38.85	30.24	8.61	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	38.85	29.98	8.87	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	23-Oct-14	38.85	31.32	7.53	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	21-Nov-14	38.85	30.58	8.27	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	17-Dec-14	38.85	31.13	7.72	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Jan-15	38.85	29.66	9.19	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	19-Feb-15	38.85	30.98	7.87	<1	<1	<1	<2	<2	<1	<b>0.10</b>	<0.1	<1	NS
	26-Mar-15	38.85	30.75	8.10	<1	<1	<1	<2	<2	<1	<b>0.10</b>	<0.1	<1	NS
	23-Apr-15	38.85	30.90	7.95	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-May-15	38.85	30.46	8.39	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Jun-15	38.85	30.03	8.82	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS



Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-19	29-Jul-15	38.85	30.30	8.55	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	20-Aug-15	38.85	29.65	9.20	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Sep-15	38.85	31.23	7.62	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	20-Oct-15	38.85	31.54	7.31	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	19-Nov-15	38.85	31.32	7.53	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	17-Dec-15	38.85	31.62	7.23	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	5-Jan-16	38.85	31.33	7.52	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	22-Feb-16	38.85	31.97	6.88	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	16-Mar-16	38.85	31.54	7.31	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Apr-16	38.85	31.29	7.56	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	TBD

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-20	5-Jun-12	38.72	32.63	6.09	<1	<1	<1	<2	<2	<1	1.3	NS	<1	NS
	27-Jul-12	38.72	30.11	8.61	<1	<1	<1	<2	<2	<1	1.9	NS	<1	NS
	5-Sep-12	38.72	29.74	8.98	<1	<1	<1	<2	<2	<1	1.8	NS	<1	NS
	1-Oct-12	38.72	29.84	8.88	<1	<1	<1	<2	<2	<1	4	<0.1	<1	NS
	5-Nov-12	38.72	29.92	8.80	<1	<1	<1	<2	<2	<1	2.5	<0.1	<1	NS
	4-Dec-12	38.72	29.72	9.00	<1	<1	<1	<2	<2	<1	1.9	<0.1	<1	NS
	7-Jan-13	38.72	29.68	9.04	<1	<1	<1	<2	<2	<1	0.68	<0.1	2.2	NS
	5-Feb-13	38.72	29.57	9.15	<1	<1	<1	<2	<2	<1	0.95	<0.1	<1	NS
	4-Mar-13	38.72	29.49	9.23	<1	<1	<1	<2	<2	<1	2.2	<0.1	<1	NS
	8-Apr-13	38.72	29.40	9.32	<1	<1	<1	<2	<2	<1	1	<0.1	<1	NS
	6-May-13	38.72	29.31	9.41	<1	<1	<1	<2	<2	<1	1.8	<0.1	<1	NS
	4-Jun-13	38.72	29.24	9.48	<1	<1	<1	<2	<2	<1	1.6	<0.1	<1	NS
	17-Jun-13	38.72	31.08	7.64	NS	NS	NS	NS	NS	NS	1.9	NS	NS	NS
	24-Jul-13	38.72	32.96	5.76	NS	NS	NS	NS	NS	NS	2.2	NS	NS	NS
	21-Aug-13	38.72	33.33	5.39	NS	NS	NS	NS	NS	NS	2	NS	NS	NS
	24-Sep-13	38.72	33.51	5.21	NS	NS	NS	NS	NS	NS	1.1	NS	NS	NS
	21-Oct-13	38.72	32.91	5.81	NS	NS	NS	NS	NS	NS	2.4	NS	NS	NS
	18-Nov-13	38.72	33.00	5.72	NS	NS	NS	NS	NS	NS	2.8	NS	NS	NS
	18-Dec-13	38.72	33.26	5.46	NS	NS	NS	NS	NS	NS	2.4	NS	NS	NS
	30-Jan-14	38.72	33.29	5.43	<1	<1	<1	<2	<2	<1	5.7	NS	<1	NS
	24-Feb-14	38.72	33.06	5.66	NS	NS	NS	NS	NS	NS	0.58	NS	NS	NS
	24-Mar-14	38.72	33.13	5.59	NS	NS	NS	NS	NS	NS	4.4	NS	NS	NS
	28-Apr-14	38.72	32.71	6.01	<1	<1	<1	<2	<2	<1	0.70	NS	<1	NS
	20-May-14	38.72	32.42	6.30	NS	NS	NS	NS	NS	NS	0.74	NS	NS	NS
	24-Jun-14	38.72	29.78	8.94	NS	NS	NS	NS	NS	NS	0.12	NS	NS	NS
	29-Jul-14	38.72	29.17	9.55	<1	<1	<1	<2	<2	<1	0.33	<0.1	<1	<1.4
	14-Aug-14	38.72	30.08	8.64	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	38.72	29.95	8.77	<1	<1	<1	<2	<2	<1	0.94	<0.1	<1	<1.4
	24-Oct-14	38.72	31.32	7.40	<1	<1	<1	<2	<2	<1	0.22	<0.1	<1	<1.4
	21-Nov-14	38.72	30.43	8.29	<1	<1	<1	<2	<2	<1	0.3	<0.1	<1	<1.4
	17-Dec-14	38.72	31.13	7.59	<1	<1	<1	<2	<2	<1	0.24	<0.1	<1	NS
	22-Jan-15	38.72	29.68	9.04	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	18-Feb-15	38.72	30.98	7.74	<1	<1	<1	<2	<2	<1	0.47	<0.1	<1	NS
	26-Mar-15	38.72	30.77	7.95	<1	<1	<1	<2	<2	<1	0.37	<0.1	<1	NS
	23-Apr-15	38.72	30.91	7.81	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-May-15	38.72	30.47	8.25	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-20	23-Jun-15	38.72	30.03	8.69	<1	<1	<1	<2	<2	<1	<b>0.15</b>	<0.1	<1	NS
	29-Jul-15	38.72	30.29	8.43	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	20-Aug-15	38.72	29.61	9.11	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Sep-15	38.72	31.29	7.43	NS	NS	NS	NS	NS	NS	<b>0.16</b>	NS	NS	NS
	20-Oct-15	38.72	31.56	7.16	<1	<1	<1	<2	<2	<1	<b>0.24</b>	NS	<1	NS
	19-Nov-15	38.72	31.32	7.40	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	17-Dec-15	38.72	31.65	7.07	NS	NS	NS	NS	NS	NS	<b>0.16</b>	NS	NS	NS
	5-Jan-16	38.72	31.29	7.43	<1	<1	<1	<2	<2	<1	<b>0.23</b>	NS	<1	NS
	22-Feb-16	38.72	32.08	6.64	NS	NS	NS	NS	NS	NS	<b>1.2</b>	NS	NS	NS
	16-Mar-16	38.72	31.62	7.10	NS	NS	NS	NS	NS	NS	<b>1.8</b>	NS	NS	NS
	21-Apr-16	38.72	31.33	7.39	<1	<1	<1	<2	<2	<1	<b>7.0</b>	NS	<1	TBD

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-21	5-Jun-12	38.55	31.26	7.29	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	38.55	29.61	8.94	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	4-Dec-12	38.55	29.56	8.99	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Mar-13	38.55	29.33	9.22	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Jun-13	38.55	29.09	9.46	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	1-Feb-14	38.55	31.22	7.33	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	28-Apr-14	38.55	31.63	6.92	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	23-Jul-14	38.55	28.97	9.58	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	23-Oct-14	38.55	30.37	8.18	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	22-Jan-15	38.55	28.92	9.63	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Apr-15	38.55	29.92	8.63	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	29-Jul-15	38.55	29.41	9.14	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	20-Oct-15	38.55	30.56	7.99	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Jan-16	38.55	30.42	8.13	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	21-Apr-16	38.55	30.28	8.27	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	TBD

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-22	5-Sep-12	45.75	35.84	9.91	<1	<1	<1	<2	<2	<1	<b>41</b>	NS	<b>1.7</b>	NS
	5-Dec-12	45.75	35.88	9.87	<1	<1	<1	<2	<2	<1	<b>200</b>	<b>0.45</b>	<1	NS
	4-Mar-13	47.04	36.95	10.09	<1	<1	<1	<2	<2	<1	<b>4.5</b>	<b>0.26</b>	<b>1.3</b>	NS
	4-Jun-13	47.04	36.77	10.27	<1	<1	<1	<2	<2	<1	<b>44</b>	<0.1	<1	NS
	30-Jan-14	47.04	44.14	2.90	<1	<1	<1	<2	<2	<1	<b>0.16</b>	NS	<b>1.3</b>	NS
	28-Apr-14	47.04	43.72	3.32	<1	<1	<1	<2	<2	<1	<b>0.19</b>	NS	<1	NS
	25-Jul-14	47.04	36.59	10.45	<1	<1	<1	<2	<2	<1	<b>0.25</b>	<0.1	<b>1.1</b>	<1.4
	15-Aug-14	47.04	37.54	9.50	<1	<1	<1	<2	<2	<1	<b>0.41</b>	<0.1	<b>2.0</b>	<1.4
	19-Sep-14	47.04	42.72	4.32	<1	<1	<1	<2	<2	<1	<b>0.35</b>	<0.1	<b>2.0</b>	<2.34
	24-Oct-14	47.04	43.68	3.36	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<b>2.4</b>	<1.4
	21-Nov-14	47.04	36.15	10.89	<1	<1	<1	<2	<2	<1	<b>0.62</b>	<0.1	<b>2.8</b>	<1.4
	23-Jan-15	47.04	40.55	6.49	<1	<1	<1	<2	<2	<1	<b>0.19</b>	<0.1	<b>3.1</b>	NS
	24-Apr-15	47.04	39.91	7.13	<1	<1	<1	<2	<2	<1	<b>0.21</b>	<0.1	<b>2.1</b>	NS
	30-Jul-15	47.04	39.98	7.06	<1	<1	<1	<2	<2	<1	<b>0.14</b>	<0.1	<b>2.3</b>	NS
	21-Oct-15	47.04	39.91	7.13	<1	<1	<1	<2	<2	<1	<b>0.13</b>	NS	<b>1.5</b>	NS
	7-Jan-16	47.04	39.28	7.76	<1	<1	<1	<2	<2	<1	<b>0.11</b>	NS	<1	NS
	21-Apr-16	47.04	0.00	47.04	<1	<1	<1	<2	<2	<1	<b>0.23</b>	NS	<b>1.3</b>	TBD

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-23	5-Jun-12	35.95	28.98	6.97	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	35.95	28.55	7.40	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	4-Dec-12	35.95	28.40	7.55	<1	<1	<1	<2	<2	<1	11	<0.1	<1	NS
	4-Mar-13	35.95	28.10	7.85	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Jun-13	35.95	27.92	8.03	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jan-14	35.95	30.23	5.72	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	28-Apr-14	35.95	29.10	6.85	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	23-Jul-14	35.95	27.53	8.42	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	14-Aug-14	35.95	27.78	8.17	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	35.95	27.66	8.29	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	23-Oct-14	35.95	28.06	7.89	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	20-Nov-14	35.95	28.10	7.85	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	21-Jan-15	35.95	27.19	8.76	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Apr-15	35.95	27.60	8.35	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-Jul-15	35.95	27.32	8.63	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	19-Oct-15	35.95	28.28	7.67	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Jan-16	35.95	28.21	7.74	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	21-Apr-16	35.95	27.87	8.08	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	TBD

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-24	5-Jun-12	36.56	29.65	6.91	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	36.56	28.35	8.21	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	1-Oct-12	36.56	28.41	8.15	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	5-Nov-12	36.56	28.48	8.08	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Dec-12	36.56	28.28	8.28	<1	<1	<1	<2	<2	<1	<b>0.25</b>	<0.1	<1	NS
	7-Jan-13	36.56	28.16	8.40	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	5-Feb-13	36.56	28.03	8.53	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Mar-13	36.56	27.99	8.57	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	8-Apr-13	36.56	27.91	8.65	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	6-May-13	36.56	27.86	8.70	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Jun-13	36.56	27.80	8.76	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	17-Jun-13	36.56	28.48	8.08	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jul-13	36.56	29.96	6.60	NS	NS	NS	NS	NS	NS	<b>0.11</b>	NS	NS	NS
	21-Aug-13	36.56	30.24	6.32	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Sep-13	36.56	30.46	6.10	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Oct-13	36.56	30.14	6.42	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Nov-13	36.56	30.12	6.44	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Dec-13	36.56	30.30	6.26	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	30-Jan-14	36.56	30.57	5.99	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	24-Feb-14	36.56	30.29	6.27	NS	NS	NS	NS	NS	NS	<b>0.17</b>	NS	NS	NS
	24-Mar-14	36.56	30.19	6.37	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	28-Apr-14	36.56	29.73	6.83	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	20-May-14	36.56	29.47	7.09	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jun-14	36.56	28.10	8.46	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	23-Jul-14	36.56	27.57	8.99	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	14-Aug-14	36.56	28.12	8.44	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	36.56	27.67	8.89	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	23-Oct-14	36.56	28.51	8.05	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	20-Nov-14	36.56	28.43	8.13	<1	<1	<1	<2	<2	<1	<b>0.47</b>	<0.1	<1	<1.4
	17-Dec-14	36.56	28.38	8.18	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	21-Jan-15	36.56	27.27	9.29	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	19-Feb-15	36.56	28.18	8.38	<1	<1	<1	<2	<2	<1	<b>0.12</b>	<0.1	<1	NS
	25-Mar-15	36.56	28.00	8.56	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Apr-15	36.56	28.10	8.46	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-May-15	36.56	27.28	9.28	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Jun-15	36.56	27.60	8.96	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-24	28-Jul-15	36.56	27.65	8.91	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	20-Aug-15	36.56	27.39	9.17	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Sep-15	36.56	28.40	8.16	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	19-Oct-15	36.56	28.75	7.81	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	19-Nov-15	36.56	28.80	7.76	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	17-Dec-15	36.56	28.90	7.66	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	5-Jan-16	36.56	28.65	7.91	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	22-Feb-16	36.56	28.98	7.58	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	16-Mar-16	36.56	28.64	7.92	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Apr-16	36.56	28.44	8.12	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	TBD

NS - Not Sampled



Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-25	5-Jun-12	36.10	28.76	7.34	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	36.10	28.18	7.92	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	4-Dec-12	36.10	28.08	8.02	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Mar-13	36.10	27.78	8.32	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Jun-13	36.10	27.57	8.53	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jan-14	36.10	30.04	6.06	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	28-Apr-14	36.10	28.94	7.16	<1	<1	<1	<2	<2	<1	<b>0.33</b>	NS	<1	NS
	23-Jul-14	36.10	27.20	8.90	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	14-Aug-14	36.10	27.54	8.56	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	36.10	27.23	8.87	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	23-Oct-14	36.10	27.95	8.15	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	21-Nov-14	36.10	27.88	8.22	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	21-Jan-15	36.10	26.90	9.20	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Apr-15	36.10	27.37	8.73	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	29-Jul-15	36.10	27.05	9.05	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	19-Oct-15	36.10	28.09	8.01	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Jan-16	36.10	28.03	8.07	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	21-Apr-16	36.10	27.73	8.37	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	TBD

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-28	5-Jun-12	35.90	28.28	7.62	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	35.90	28.20	7.70	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	4-Dec-12	35.90	28.02	7.88	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Mar-13	35.90	27.73	8.17	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Jun-13	35.90	27.52	8.38	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jan-14	35.90	29.64	6.26	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	28-Apr-14	35.90	28.32	7.58	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	23-Jul-14	35.90	26.98	8.92	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	14-Aug-14	35.90	27.43	8.47	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	35.90	27.01	8.89	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	23-Oct-14	35.90	27.39	8.51	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	20-Nov-14	35.90	27.46	8.44	<1	<1	<1	<2	<2	<1	<b>0.11</b>	<0.1	<1	<1.4
	21-Jan-15	35.90	26.67	9.23	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Apr-15	35.90	26.85	9.05	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-Jul-15	35.90	26.65	9.25	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	19-Oct-15	35.90	27.57	8.33	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Jan-16	35.90	27.56	8.34	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	21-Apr-16	35.90	27.19	8.71	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	TBD

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-29	5-Jun-12	35.15	28.18	6.97	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	35.15	28.16	6.99	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	4-Dec-12	35.15	27.96	7.19	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Mar-13	35.15	27.68	7.47	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Jun-13	35.15	27.46	7.69	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jan-14	35.15	29.57	5.58	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	28-Apr-14	35.15	28.20	6.95	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	22-Jul-14	35.15	26.92	8.23	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	14-Aug-14	35.15	27.04	8.11	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	35.15	26.93	8.22	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<3.5
	23-Oct-14	35.15	27.29	7.86	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	20-Nov-14	35.15	27.35	7.80	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	21-Jan-15	35.15	26.59	8.56	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Apr-15	35.15	26.75	8.40	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-Jul-15	35.15	26.58	8.57	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	19-Oct-15	35.15	27.49	7.66	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Jan-16	35.15	27.43	7.72	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	21-Apr-16	35.15	27.06	8.09	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	TBD

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-31R	4-Dec-12	47.40	36.19	11.21	<1	<1	<1	<2	<2	<1	<b>0.45</b>	<0.1	<1	NS
	4-Mar-13	47.40	37.16	10.24	<1	<1	<1	<2	<2	1.1	<0.1	<0.1	<1	NS
	3-Jun-13	47.40	36.92	10.48	<1	<1	<1	<2	<2	4.1	<0.1	<0.1	<1	NS
	30-Jan-14	47.40	39.89	7.51	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	28-Apr-14	47.40	39.40	8.00	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	24-Jul-14	47.40	36.74	10.66	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	24-Oct-14	47.40	38.07	9.33	<1	<1	<1	<2	<2	1.3	<0.1	NS	<1	NS
	23-Jan-15	47.40	36.83	10.57	<1	<1	<1	<2	<2	1.8	<b>0.68</b>	<0.1	<1	NS
	24-Apr-15	47.40	37.56	9.84	<1	<1	<1	<2	<2	2.4	<0.1	<0.1	<1	NS
	30-Jul-15	47.40	37.05	10.35	<1	<1	<1	<2	<2	<1	<b>0.25</b>	<0.1	<b>1.7</b>	NS
	21-Oct-15	47.40	38.17	9.23	<1	<1	<1	<2	<2	2.4	<0.1	NS	<1	NS
	7-Jan-16	47.40	38.36	9.04	<1	<1	<1	<2	<2	1.1	<0.1	NS	<1	NS
	22-Apr-16	47.40	38.30	9.10	<1	<1	<1	<2	<2	1.5	<0.1	NS	<1	<1.4

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-32	5-Jun-12	44.60	37.08	7.52	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	44.60	34.84	9.76	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	4-Dec-12	44.60	34.89	9.71	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Mar-13	47.41	37.39	10.02	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Jun-13	47.41	37.15	10.26	<1	<1	<1	<2	<2	1.1	<0.1	<0.1	<1	NS
	30-Jan-14	47.41	40.65	6.76	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	28-Apr-14	47.41	41.60	5.81	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	24-Jul-14	47.41	37.02	10.39	<1	<1	<1	<2	<2	<1	<b>0.13</b>	NS	<1	NS
	23-Jan-15	47.41	37.45	9.96	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Apr-15	47.41	38.25	9.16	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jul-15	47.41	37.72	9.69	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	21-Oct-15	47.41	38.92	8.49	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	7-Jan-16	47.41	39.10	8.31	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	22-Apr-16	47.41	39.14	8.27	<1	<1	<1	<2	<2	<1	<b>0.12</b>	NS	<1	1.51

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-33	5-Jun-12	36.52	29.89	6.63	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	36.52	27.85	8.67	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	1-Oct-12	36.52	27.94	8.58	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	5-Nov-12	36.52	27.99	8.53	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Dec-12	36.52	27.80	8.72	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	7-Jan-13	36.52	27.73	8.79	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	5-Feb-13	36.52	27.56	8.96	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Mar-13	36.52	27.54	8.98	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	8-Apr-13	36.52	27.46	9.06	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Jun-13	36.52	27.32	9.20	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	17-Jun-13	36.52	28.47	8.05	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jul-13	36.52	30.24	6.28	NS	NS	NS	NS	NS	NS	<b>0.31</b>	NS	NS	NS
	21-Aug-13	36.52	30.55	5.97	NS	NS	NS	NS	NS	NS	<b>0.25</b>	NS	NS	NS
	24-Sep-13	36.52	30.76	5.76	NS	NS	NS	NS	NS	NS	<b>0.17</b>	NS	NS	NS
	21-Oct-13	36.52	30.28	6.24	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Nov-13	36.52	30.33	6.19	NS	NS	NS	NS	NS	NS	<b>0.24</b>	NS	NS	NS
	18-Dec-13	36.52	30.54	5.98	NS	NS	NS	NS	NS	NS	<b>0.3</b>	NS	NS	NS
	30-Jan-14	36.52	30.69	5.83	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	24-Feb-14	36.52	30.41	6.11	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Mar-14	36.52	30.42	6.10	NS	NS	NS	NS	NS	NS	<b>0.13</b>	NS	NS	NS
	28-Apr-14	36.52	29.98	6.54	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	20-May-14	36.52	29.69	6.84	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jun-14	36.52	27.76	8.76	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	29-Jul-14	36.52	27.17	9.35	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	<1.4
	14-Aug-14	36.52	27.96	8.56	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	36.52	27.49	9.03	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	23-Oct-14	36.52	28.68	7.84	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	21-Nov-14	36.52	28.27	8.25	<1	<1	<1	<2	<2	<1	<b>0.11</b>	<0.1	<1	<1.4
	17-Dec-14	36.52	28.51	8.01	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Jan-15	36.52	27.13	9.39	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	18-Feb-15	36.52	28.32	8.20	<1	<1	<1	<2	<2	<1	<b>0.13</b>	<0.1	<1	NS
	26-Mar-15	36.52	28.10	8.42	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Apr-15	36.52	28.26	8.26	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-May-15	36.52	27.85	8.67	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Jun-15	36.52	27.54	8.98	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-33	29-Jul-15	36.52	27.70	8.82	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	20-Aug-15	36.52	27.26	9.26	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Sep-15	36.52	28.60	7.92	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	20-Oct-15	36.52	28.91	7.61	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	19-Nov-15	36.52	28.92	7.60	<1	<1	<1	<2	<2	<1	<b>0.35</b>	NS	<1	NS
	17-Dec-15	36.52	29.03	7.49	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	5-Jan-16	36.52	28.71	7.81	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	22-Feb-16	36.52	29.31	7.21	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	16-Mar-16	36.52	28.87	7.65	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Apr-16	36.52	28.60	7.92	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	TBD

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-34	5-Jun-12	36.64	29.99	6.65	<1	<1	<1	<2	<2	<1	<b>0.14</b>	NS	<1	NS
	27-Jul-12	36.64	28.32	8.32	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	36.64	27.99	8.65	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	1-Oct-12	36.64	28.08	8.56	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	5-Nov-12	36.64	28.14	8.50	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Dec-12	36.64	27.95	8.69	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	7-Jan-13	36.64	27.86	8.78	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	5-Feb-13	36.64	27.71	8.93	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Mar-13	36.64	27.68	8.96	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	8-Apr-13	36.64	27.61	9.03	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	6-May-13	36.64	27.53	9.11	<1	<1	<1	<2	<2	<1	<b>0.11</b>	<0.1	<1	NS
	4-Jun-13	36.64	27.46	9.18	<1	<1	<1	<2	<2	<1	<b>0.25</b>	<0.1	<1	NS
	17-Jun-13	36.64	28.62	8.02	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jul-13	36.64	30.30	6.34	NS	NS	NS	NS	NS	NS	<b>0.13</b>	NS	NS	NS
	21-Aug-13	36.64	30.60	6.04	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Sep-13	36.64	30.81	5.83	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Oct-13	36.64	30.40	6.24	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Nov-13	36.64	30.42	6.22	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Dec-13	36.64	30.64	6.00	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	30-Jan-14	36.64	30.82	5.82	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	24-Feb-14	36.64	30.55	6.09	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Mar-14	36.64	30.51	6.13	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	28-Apr-14	36.64	30.05	6.59	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	20-May-14	36.64	29.81	6.83	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jun-14	36.64	27.90	8.74	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	29-Jul-14	36.64	27.33	9.31	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	14-Aug-14	36.64	28.06	8.58	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	36.64	27.76	8.88	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	23-Oct-14	36.64	28.76	7.88	<1	<1	<1	<2	<2	<1	<b>0.11</b>	<0.1	<1	<1.4
	21-Nov-14	36.64	28.41	8.23	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	17-Dec-14	36.64	28.66	7.98	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Jan-15	36.64	27.31	9.33	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	18-Feb-15	36.64	28.43	8.21	<1	<1	<1	<2	<2	<1	<b>0.13</b>	<0.1	<1	NS
	26-Mar-15	36.64	28.23	8.41	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Apr-15	36.64	28.38	8.26	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-May-15	36.64	27.97	8.67	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS



Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-34	23-Jun-15	36.64	27.67	8.97	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	29-Jul-15	36.64	27.85	8.79	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	20-Aug-15	36.64	27.39	9.25	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Sep-15	36.64	28.70	7.94	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	20-Oct-15	36.64	29.03	7.61	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	19-Nov-15	36.64	29.11	7.53	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	17-Dec-15	36.64	29.16	7.48	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	5-Jan-16	36.64	28.87	7.77	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	22-Feb-16	36.64	29.44	7.20	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	16-Mar-16	36.64	28.98	7.66	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Apr-16	36.64	28.77	7.87	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	TBD

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-35	5-Jun-12	38.62	31.79	6.83	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	38.62	29.63	8.99	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	1-Oct-12	38.62	29.70	8.92	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	5-Nov-12	38.62	29.72	8.90	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Dec-12	38.62	29.60	9.02	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	7-Jan-13	38.62	29.55	9.07	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	5-Feb-13	38.62	29.38	9.24	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Mar-13	38.62	29.33	9.29	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	8-Apr-13	38.62	29.28	9.34	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	6-May-13	38.62	29.22	9.40	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Jun-13	38.62	29.15	9.47	<1	<1	<1	<2	<2	<1	<b>0.16</b>	<0.1	<1	NS
	17-Jun-13	38.62	30.35	8.27	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jul-13	38.62	32.11	6.51	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Aug-13	38.62	32.42	6.20	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Sep-13	38.62	32.62	6.00	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Oct-13	38.62	32.23	6.39	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Nov-13	38.62	32.24	6.38	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Dec-13	38.62	32.48	6.14	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	30-Jan-14	38.62	32.61	6.01	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	24-Feb-14	38.62	32.38	6.24	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Mar-14	38.62	32.35	6.27	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	28-Apr-14	38.62	31.93	6.69	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	20-May-14	38.62	31.67	6.95	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jun-14	38.62	29.58	9.04	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	29-Jul-14	38.62	28.98	9.64	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	14-Aug-14	38.62	29.77	8.85	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	38.62	29.38	9.24	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<2.34
	24-Oct-14	38.62	30.57	8.05	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	21-Nov-14	38.62	30.11	8.51	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	17-Dec-14	38.62	30.45	8.17	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Jan-15	38.62	29.11	9.51	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	18-Feb-15	38.62	30.26	8.36	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	26-Mar-15	38.62	30.03	8.59	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Apr-15	38.62	30.15	8.47	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-May-15	38.62	29.75	8.87	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-35	23-Jun-15	38.62	29.41	9.21	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	29-Jul-15	38.62	29.62	9.00	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	20-Aug-15	38.62	29.07	9.55	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Sep-15	38.62	30.51	8.11	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	20-Oct-15	38.62	30.81	7.81	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	19-Nov-15	38.62	30.80	7.82	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	17-Dec-15	38.62	30.98	7.64	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	5-Jan-16	38.62	30.70	7.92	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	22-Feb-16	38.62	31.32	7.30	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	16-Mar-16	38.62	30.89	7.73	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Apr-16	38.62	30.62	8.00	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	TBD

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-37	5-Jun-12	50.54	41.64	8.90	<1	<1	<1	<2	<2	<1	<b>22</b>	NS	<b>3.9</b>	NS
	6-Sep-12	50.54	39.81	10.73	<1	2.9	1.7	<2	4.6	<1	<b>100</b>	NS	<b>17</b>	NS
	4-Dec-12	50.54	39.89	10.65	<1	<1	<1	<2	<2	<1	<b>27</b>	<0.1	<b>6.1</b>	NS
	4-Mar-13	50.54	39.70	10.84	<1	<1	<1	<2	<2	<1	<b>67</b>	<b>0.47</b>	<b>7.4</b>	NS
	4-Jun-13	50.54	39.45	11.09	<1	<1	<1	<2	<2	<1	<b>12</b>	<0.1	<b>3.9</b>	NS
	30-Jan-14	50.54	41.97	8.57	<1	<1	<1	<2	<2	<1	<b>46</b>	NS	<b>2.1</b>	NS
	28-Apr-14	50.54	41.79	8.75	<1	<1	<1	<2	<2	<1	<b>8.8</b>	NS	<b>5.8</b>	NS
	24-Jul-14	50.54	39.27	11.27	<1	<1	<1	<2	<2	<1	<b>23</b>	NS	<b>5.3</b>	NS
	24-Oct-14	50.54	40.56	9.98	<1	<1	<1	<2	<2	<1	<b>0.13</b>	NS	<1	NS
	23-Jan-15	50.54	39.41	11.13	<1	<1	<1	<2	<2	<1	<b>28</b>	<0.1	<b>4.4</b>	NS
	24-Apr-15	50.54	39.99	10.55	<1	<1	<1	<2	<2	<1	<b>7.1</b>	<0.1	<b>1.4</b>	NS
	30-Jul-15	50.54	39.50	11.04	<1	<1	<1	<2	<2	<1	<b>0.35</b>	<0.1	<b>1.4</b>	NS
	21-Sep-15	50.54	40.21	10.33	NS	NS	NS	NS	NS	NS	<b>2.3</b>	NS	NS	NS
	5-Oct-15	50.54	40.35	10.19	NS	NS	NS	NS	NS	NS	<b>1.3</b>	NS	NS	NS
	19-Oct-15	50.54	40.52	10.02	<5	<5	<5	<10	<10	<5	<b>0.76</b>	NS	<5	NS
	7-Jan-16	50.54	40.85	9.69	<1	<1	<1	<2	<2	<1	<b>5.2</b>	NS	<1	NS
	23-Feb-16	50.54	41.18	9.36	NS	NS	NS	NS	NS	NS	<b>1.4</b>	NS	NS	NS
	22-Apr-16	50.54	40.58	9.96	<1	<1	<1	<2	<2	1.4	<b>5.2</b>	NS	<1	<1.4

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-40	6-Jun-12	46.85	39.96	6.89	<1	<1	<1	<2	<2	<1	<b>12</b>	NS	<1	NS
	6-Sep-12	46.85	36.79	10.06	<1	<1	<1	1.1e	1.1e	<1	<b>26</b>	NS	<b>1.5</b>	NS
	4-Dec-12	46.85	36.84	10.01	<1	<1	<1	1.2e	1.2e	<1	<b>190</b>	<0.1	<b>2.1</b>	NS
	4-Mar-13	48.98	38.66	10.32	<1	<1	<1	<2	<2	<1	<b>21</b>	<0.1	<b>1.5</b>	NS
	4-Jun-13	48.69	38.22	10.47	<1	<1	<1	1.9e	1.9e	<1	<b>76</b>	<b>0.19</b>	<b>3.3</b>	NS
	30-Jan-14	48.69	42.48	6.21	<1	<1	<1	<2	<2	<1	<b>5.9</b>	NS	<1	NS
	28-Apr-14	48.69	42.00	6.69	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	29-Jul-14	48.69	38.11	10.58	<1	<1	<1	<2	<2	<1	<b>15</b>	<0.1	<1	<1.4
	15-Aug-14	48.69	38.99	9.70	<100	<100	<100	<200	<200	<100	<b>9.1</b>	<0.1	<100	28.3
	19-Sep-14	48.88	39.61	9.27	<1	<1	<1	<2	<2	<1	<b>3.6</b>	<0.1	<b>1.7</b>	2.38
	24-Oct-14	48.88	40.80	8.08	<1	<1	<1	<2	<2	<1	<b>7.6</b>	<0.1	<b>2.5</b>	<1.4
	19-Nov-14	48.88	39.78	9.10	<1	<1	<1	<2	<2	<1	<b>2.1</b>	<0.1	<1	<1.4
	23-Jan-15	48.88	39.13	9.75	<1	<1	<1	<2	<2	<1	<b>6.5</b>	<0.1	<1	NS
	23-Apr-15	48.88	40.08	8.80	<1	<1	<1	<2	<2	<1	<b>1.9</b>	<0.1	<1	NS
	30-Jul-15	48.88	39.61	9.27	<1	<1	<1	<2	<2	<1	<b>0.47</b>	<0.1	<1	NS
	21-Oct-15	48.88	40.82	8.06	<1	<1	<1	<2	<2	<1	<b>2.2</b>	NS	<1	NS
	7-Jan-16	48.88	41.20	7.68	<1	<1	<1	<2	<2	<1	<b>0.69</b>	NS	<1	NS
	23-Feb-16	48.88	42.28	6.60	NS	NS	NS	NS	NS	NS	<b>0.25</b>	NS	NS	NS
	22-Apr-16	48.88	41.42	7.46	<1	<1	<1	<2	<2	<1	<b>0.61</b>	NS	<1	<1.4

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-41	6-Jun-12	42.92	36.62	6.30	<1	<1	3.4	12	15.4	<1	<b>92</b>	NS	<b>46</b>	NS
	6-Sep-12	42.92	33.31	9.61	<1	<1	1.2	5.1	7.2	<1	<b>23</b>	NS	<b>24</b>	NS
	4-Dec-12	42.92	33.29	9.63	<1	<1	9	20	29	<1	<b>190</b>	<b>1.7</b>	<b>82</b>	NS
	4-Mar-13	42.92	33.06	9.86	<1	<1	2.5	5.6	8.1	<1	<b>63</b>	<b>0.15</b>	<b>23</b>	NS
	4-Jun-13	42.92	32.81	10.11	<1	<1	1.7	6.9	8.6	<1	<b>410</b>	<b>0.35</b>	<b>14</b>	NS
	30-Jan-14	42.92	37.41	5.51	<1	<1	3.6	6.2	<2	<1	<b>76</b>	NS	<b>30</b>	NS
	28-Apr-14	42.92	37.18	5.74	<1	<1	<1	<2	<2	<1	<b>0.53</b>	NS	<b>5.2</b>	NS
	29-Jul-14	42.92	32.85	10.07	<1	<1	<1	<2	<2	<1	<b>9.5</b>	<0.1	<b>5.7</b>	2.8
	15-Aug-14	42.92	34.00	8.92	<100	<100	<100	<200	<200	<100	<b>28</b>	<b>0.12</b>	<100	36.2
	19-Sep-14	43.15	34.84	8.31	<1	<1	<1	1.3	1.3	<1	<b>3.9</b>	<0.1	<b>11</b>	9.56
	24-Oct-14	43.15	36.03	7.12	<1	<1	<1	<2	<2	<1	<b>1.6</b>	<0.1	<1	<1.4
	19-Nov-14	43.15	34.60	8.55	<1	<1	<1	<2	<2	<1	<b>3.1</b>	<0.1	<b>4</b>	2.77
	23-Jan-15	43.15	34.47	8.68	<1	<1	<1	<2	<2	<1	<b>2.2</b>	<0.1	<b>1.8</b>	NS
	23-Apr-15	43.15	35.57	7.58	<1	<1	<1	<2	<2	<1	<b>3.7</b>	<0.1	<1	NS
	30-Jul-15	43.15	34.87	8.28	<1	<1	<1	<2	<2	<1	<b>1.2</b>	<0.1	<b>2.9</b>	NS
	21-Oct-15	43.15	36.20	6.95	<1	<1	<1	<2	<2	<1	<b>1.9</b>	NS	<1	NS
	5-Jan-16	43.15	35.76	7.39	<1	<1	<1	<2	<2	<1	<b>3.7</b>	NS	<b>5.4</b>	NS
	23-Feb-16	43.15	36.94	6.21	NS	NS	NS	NS	NS	NS	<b>0.98</b>	NS	NS	NS
	22-Apr-16	43.15	36.96	6.19	<1	<1	1.6	<2	1.6	<1	<b>3.6</b>	NS	<b>13</b>	44.4

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-42	6-Jun-12	47.04	40.48	6.56	<1	<1	1.2	<2	1.2e	<1	110	NS	16	NS
	6-Sep-12	47.04	37.06	9.98	<1	<1	<1	<2	<2	<1	98	NS	6.5	NS
	4-Dec-12	46.15	36.17	9.98	<1	<1	<1	<2	<2	<1	160	<0.1	2.6	NS
	4-Mar-13	46.15	36.00	10.15	<1	<1	<1	<2	<2	<1	87	<0.1	2.8	NS
	4-Jun-13	46.15	35.72	10.43	<1	<1	<1	<2	<2	<1	55	<0.1	6.1	NS
	30-Jan-14	46.15	39.32	6.83	<1	<1	<1	<2	<2	<1	0.47	NS	1.3	NS
	28-Apr-14	46.15	39.43	6.72	<1	<1	<1	<2	<2	<1	0.30	NS	4.1	NS
	29-Jul-14	46.15	35.68	10.47	<1	<1	<1	<2	<2	<1	96	NS	2.3	<1.4
	15-Aug-14	46.15	36.67	9.48	<1	<1	<1	<2	<2	<1	9.1	<0.1	2.7	20.2
	19-Sep-14	47.11	37.83	9.28	<1	<1	<1	<2	<2	<1	1.0	<0.1	<1	4.8
	24-Oct-14	47.11	39.14	7.97	<1	<1	<1	<2	<2	<1	1.4	<0.1	<1	2.62
	20-Nov-14	47.11	37.81	9.30	<1	<1	<1	<2	<2	<1	1.2	<0.1	1.1	<1.4
	22-Jan-15	47.11	37.57	9.54	<1	<1	<1	<2	<2	<1	1.2	<0.1	<1	NS
	24-Apr-15	47.11	38.06	9.05	<1	<1	<1	<2	<2	<1	0.23	<0.1	<1	NS
	30-Jul-15	47.11	37.40	9.71	<1	<1	<1	<2	<2	<1	0.74	<0.1	1.1	NS
	21-Oct-15	47.11	38.81	8.30	<1	<1	<1	<2	<2	<1	0.23	NS	<1	NS
	5-Jan-16	47.11	38.63	8.48	<1	<1	<1	<2	<2	<1	2.5	NS	1.3	NS
	23-Feb-16	47.11	39.81	7.30	NS	NS	NS	NS	NS	NS	1.7	NS	NS	NS
	22-Apr-16	47.11	39.02	8.09	<1	<1	<1	<2	<2	<1	4.2	NS	<1	14.4

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-43	6-Jun-12	46.55	39.73	6.82	<1	<1	<1	<2	<2	<1	<b>0.21</b>	NS	<1	NS
	6-Sep-12	46.55	36.62	9.93	<1	<1	<1	<2	<2	<1	<b>0.21</b>	NS	<1	NS
	4-Dec-12	46.55	36.61	9.94	<1	<1	<1	<2	<2	<1	<b>0.22</b>	<0.1	<1	NS
	4-Mar-13	48.03	37.92	10.11	<1	<1	<1	<2	<2	<1	<b>0.1</b>	<0.1	<1	NS
	4-Jun-13	47.90	37.55	10.35	<1	<1	<1	<2	<2	<1	<b>0.23</b>	<0.1	<b>1.4</b>	NS
	30-Jan-14	47.90	41.75	6.15	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-Apr-14	47.90	41.50	6.40	<1	<1	<1	<2	<2	<1	<0.1	NS	<b>1.5</b>	NS
	29-Jul-14	47.90	37.44	10.46	<1	<1	<1	<2	<2	<1	<b>14</b>	<0.1	<1	<1.4
	15-Aug-14	47.90	38.28	9.62	<1	<1	<1	<2	<2	<1	<b>0.23</b>	<0.1	<1	<1.4
	19-Sep-14	47.90	39.09	8.81	<1	<1	<1	<2	<2	<1	<b>0.21</b>	<0.1	<1	<2.69
	24-Oct-14	47.90	40.24	7.66	<1	<1	<1	<2	<2	<1	<b>0.32</b>	<0.1	<1	<1.4
	19-Nov-14	47.90	38.68	9.22	<1	<1	<1	<2	<2	<1	<b>0.33</b>	<0.1	<1	<1.4
	22-Jan-15	47.90	38.70	9.20	<1	<1	<1	<2	<2	<1	<b>2.2</b>	<0.1	<1	NS
	24-Apr-15	47.90	39.36	8.54	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jul-15	47.90	38.91	8.99	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	21-Oct-15	47.90	40.07	7.83	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	7-Jan-16	47.90	40.18	7.72	<1	<1	<1	<2	<2	<1	<b>0.67</b>	NS	<1	NS
	23-Feb-16	47.90	41.54	6.36	NS	NS	NS	NS	NS	NS	<b>0.56</b>	NS	NS	NS
	22-Apr-16	47.90	40.71	7.19	<1	<1	<1	<2	<2	<1	<b>8.2</b>	NS	<1	7.96

NS - Not Sampled



Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-44	5-Jun-12	46.66	38.80	7.86	<1	<1	<1	<2	<2	<1	<b>0.46</b>	NS	<1	NS
	5-Sep-12	46.66	36.77	9.89	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	4-Dec-12	46.66	36.79	9.87	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	4-Mar-13	47.46	37.26	10.20	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	3-Jun-13	47.20	36.90	10.30	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jan-14	47.20	40.20	7.00	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-Apr-14	47.20	39.74	7.46	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	24-Jul-14	47.20	36.77	10.43	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	24-Oct-14	47.20	38.35	8.85	<1	<1	<1	<2	<2	<1	<b>0.11</b>	NS	<1	NS
	23-Jan-15	47.20	36.79	10.41	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	24-Apr-15	47.20	37.56	9.64	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jul-15	47.20	37.32	9.88	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	21-Oct-15	47.20	38.42	8.78	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	7-Jan-16	47.20	38.60	8.60	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	22-Apr-16	47.20	38.67	8.53	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	<1.4

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-45	5-Jun-12	40.91	33.67	7.24	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	5-Sep-12	40.91	31.59	9.32	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	4-Dec-12	40.91	31.60	9.31	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	3-Jun-13	40.91	31.11	9.80	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jan-14	40.91	34.76	6.15	<1	<1	<1	<2	<2	<1	<0.1	NS	<b>1.8</b>	NS
	28-Apr-14	40.91	34.22	6.69	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	29-Jul-14	40.70	30.79	9.91	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	15-Aug-14	40.70	31.56	9.14	<1	<1	<1	<2	<2	<1	<b>0.24</b>	<0.1	<1	<1.4
	19-Sep-14	40.70	31.41	9.29	<1	<1	<1	<2	<2	<1	<b>1.8</b>	<0.1	<1	<1.4
	19-Nov-14	40.70	31.47	9.23	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	23-Jan-15	40.70	30.66	10.04	<1	<1	<1	<2	<2	<1	<b>0.21</b>	<0.1	<1	NS
	23-Apr-15	40.70	31.81	8.89	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jul-15	40.70	31.61	9.09	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	7-Jan-16	40.70	32.38	8.32	<1	<1	<1	<2	<2	<1	<b>3.2</b>	NS	<1	NS
	23-Feb-16	40.70	33.51	7.19	NS	NS	NS	NS	NS	NS	<b>3.1</b>	NS	NS	NS
	22-Apr-16	40.70	32.95	7.75	<1	<1	<1	<2	<2	<1	<b>5.9</b>	NS	<1	15.7

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-46	6-Jun-12	41.08	34.67	6.41	<1	<1	1.5	6.9	8.4	<1	130	NS	28	NS
	6-Sep-12	41.08	31.78	9.30	<1	<1	1.5	12	13.5	<1	9.4	NS	28	NS
	4-Dec-12	41.08	31.42	9.66	<1	<1	<1	2.3	2.3	<1	170	<0.1	6.5	NS
	4-Mar-13	41.08	31.53	9.55	<1	<1	<1	3.6	3.6	<1	100	<0.1	6.5	NS
	4-Jun-13	41.08	31.30	9.78	<1	<1	<1	1.8	1.8e	<1	14	<0.1	3.4	NS
	30-Jan-14	41.08	36.20	4.88	<1	<1	<1	1.3	<2	<1	1.5	NS	3.3	NS
	28-Apr-14	41.08	35.58	5.50	<1	<1	1.0	4.6	5.6	<1	1.1	NS	7.2	NS
	29-Jul-14	40.89	31.04	9.85	<1	<1	<1	1.7	<2	<1	5.6	<0.1	9.0	<1.4
	15-Aug-14	40.89	32.14	8.75	<1	<1	<1	3.5	3.5	<1	29	0.13	16	<1.4
	19-Sep-14	40.89	32.41	8.48	<1	<1	<1	5.2	5.2	<1	36	0.14	21	<1.4
	19-Nov-14	40.89	32.56	8.33	<1	<1	<1	<2	<2	<1	28	0.2	34	<1.4
	23-Jan-15	40.89	32.23	8.66	<1	<1	<1	4.2	4.2	<1	18	0.27	17	NS
	24-Apr-15	40.89	33.40	7.49	<1	<1	1.2	5.0	6.0	<1	37	0.22	24	NS
	30-Jul-15	40.89	32.82	8.07	<1	<1	1.2	2.1	2.1	<1	15	0.16	31	NS
	7-Jan-16	40.89	34.08	6.81	<1	<1	<1	4.9	4.9	<1	1.6	NS	13	NS
	23-Feb-16	40.89	35.34	5.55	NS	NS	NS	NS	NS	NS	1.4	NS	NS	NS
	22-Apr-16	40.89	34.30	6.59	<1	<1	<1	1.5	1.5	<1	5.7	NS	3.7	23.4

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-47	6-Jun-12	40.74	34.59	6.15	<1	<1	<1	2.2	2.2	<1	99	NS	8.5	NS
	4-Dec-12	40.74	31.42	9.32	<1	<1	<1	<2	<2	<1	180	0.11	1.7	NS
	4-Mar-13	40.74	31.17	9.57	1.9	<1	17	78.3	97.2	<1	6500	14	180	NS
	29-Jul-14	40.74	30.92	9.82	2.3	<1	11	23.3	36.6	<1	530	1.2	110	<1.4
	15-Aug-14	40.74	31.95	8.79	3.7	<1	7.2	15.4	26.3	<1	260	0.43	74	<1.4
	19-Sep-14	40.74	33.10	7.64	3.6	<1	8.3	19.4	31.3	<1	210	0.39	76	<1.4
	19-Nov-14	40.74	32.21	8.53	6.5	<1	14	<2	20.5	<1	260	2.4	160	<1.4
	23-Jan-15	40.74	32.55	8.19	<5	<5	14	28	42.0	<5	98	15	130	NS
	24-Apr-15	40.74	33.51	7.23	4.2	<1	2.8	5.0	12.0	<1	21	0.22	29	NS
	30-Jul-15	40.74	33.04	7.70	3.1	<1	5.9	15.5	24.5	<1	220	0.87	86	NS
	21-Sep-15	40.74	34.18	6.56	NS	NS	NS	NS	NS	NS	1.8	NS	NS	NS
	5-Oct-15	40.74	34.27	6.47	NS	NS	NS	NS	NS	NS	1.3	NS	NS	NS
	19-Oct-15	40.74	34.42	6.32	<5	<5	5.6	13.0	18.6	<5	0.92	NS	53	NS
	5-Jan-16	40.74	34.06	6.68	<1	<1	<1	2.2	2.2	<1	1.9	NS	8.8	NS
	23-Feb-16	40.74	35.02	5.72	NS	NS	NS	NS	NS	NS	1.4	NS	NS	NS
	22-Apr-16	40.74	34.18	6.56	3.5	<1	2.4	2.4	7.9	<1	7.2	NS	6.9	9.19

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-48	8-Apr-13	36.22	27.26	8.96	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	6-May-13	36.22	27.20	9.02	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	3-Jun-13	36.22	27.13	9.09	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	17-Jun-13	36.22	28.02	8.20	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jul-13	36.22	29.53	6.69	NS	NS	NS	NS	NS	NS	<b>0.11</b>	NS	NS	NS
	21-Aug-13	36.22	29.77	6.45	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Sep-13	36.22	30.00	6.22	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Oct-13	36.22	29.71	6.51	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Nov-13	36.22	29.68	6.54	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Dec-13	36.22	29.90	6.32	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	30-Jan-14	36.22	30.15	6.07	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	24-Feb-14	36.22	29.91	6.31	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Mar-14	36.22	29.75	6.47	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	28-Apr-14	36.22	29.34	6.88	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	20-May-14	36.22	29.07	7.15	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jun-14	36.22	28.46	7.76	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jul-14	36.22	26.87	9.35	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	14-Aug-14	36.22	27.48	8.74	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	36.22	27.11	9.11	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	20-Nov-14	36.22	27.76	8.46	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	17-Dec-14	36.22	27.89	8.33	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	25-Mar-15	36.22	27.51	8.71	<1	<1	<1	<2	<2	<1	<b>0.15</b>	<0.1	<1	NS
	24-Apr-15	36.22	28.62	7.60	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-May-15	36.22	27.28	8.94	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Jun-15	36.22	27.07	9.15	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jul-15	36.22	27.15	9.07	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	20-Aug-15	36.22	26.80	9.42	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Sep-15	36.22	27.95	8.27	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	20-Oct-15	36.22	28.31	7.91	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	19-Nov-15	36.22	28.38	7.84	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	17-Dec-15	36.22	28.45	7.77	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	16-Mar-16	36.22	28.24	7.98	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	22-Apr-16	36.22	28.02	8.20	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	<1.4

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-49	8-Apr-13	35.49	26.80	8.69	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	6-May-13	35.49	26.75	8.74	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	3-Jun-13	35.49	26.68	8.81	<1	<1	<1	<2	<2	<1	<b>0.32</b>	<0.1	<1	NS
	17-Jun-13	35.49	27.37	8.12	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jul-13	35.49	28.72	6.77	NS	NS	NS	NS	NS	NS	<b>0.11</b>	NS	NS	NS
	21-Aug-13	35.49	28.98	6.51	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Sep-13	35.49	29.22	6.27	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Oct-13	35.49	28.97	6.52	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Nov-13	35.49	28.95	6.54	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Dec-13	35.49	29.15	6.34	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	30-Jan-14	35.49	29.48	6.01	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	24-Feb-14	35.49	29.20	6.29	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Mar-14	35.49	28.97	6.52	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	28-Apr-14	35.49	28.56	6.93	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	20-May-14	35.49	28.29	7.20	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jun-14	35.49	26.92	8.57	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jul-14	35.49	27.40	8.09	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	14-Aug-14	35.49	26.90	8.59	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	35.49	26.53	8.96	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	20-Nov-14	35.49	27.22	8.27	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	17-Dec-14	35.49	27.22	8.27	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Jan-15	35.49	26.19	9.30	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	26-Mar-15	35.49	26.82	8.67	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	24-Apr-15	35.49	26.92	8.57	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-May-15	35.49	26.60	8.89	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Jun-15	35.49	26.40	9.09	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jul-15	35.49	26.49	9.00	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	20-Aug-15	35.49	26.23	9.26	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Sep-15	35.49	27.24	8.25	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	20-Oct-15	35.49	27.57	7.92	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	19-Nov-15	35.49	27.65	7.84	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	17-Dec-15	35.49	27.75	7.74	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	22-Feb-16	35.49	27.86	7.63	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	16-Mar-16	35.49	27.48	8.01	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	22-Apr-16	35.49	27.27	8.22	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	TBD

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
MW-50	8-Apr-13	35.64	26.86	8.78	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	6-May-13	35.64	26.81	8.83	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	3-Jun-13	35.64	26.74	8.90	<1	<1	<1	<2	<2	<1	<b>0.35</b>	<0.1	<1	NS
	17-Jun-13	35.64	27.57	8.07	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jul-13	35.64	29.07	6.57	NS	NS	NS	NS	NS	NS	<b>0.14</b>	NS	NS	NS
	21-Aug-13	35.64	29.33	6.31	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Sep-13	35.64	29.55	6.09	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	21-Oct-13	35.64	29.25	6.39	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Nov-13	35.64	29.25	6.39	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	18-Dec-13	35.64	29.43	6.21	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	30-Jan-14	35.64	29.70	5.94	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	24-Feb-14	35.64	29.43	6.21	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Mar-14	35.64	29.25	6.39	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	28-Apr-14	35.64	28.87	6.77	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	20-May-14	35.64	28.59	7.05	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jun-14	35.64	27.04	8.60	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	24-Jul-14	35.64	26.51	9.13	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	14-Aug-14	35.64	27.07	8.57	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	19-Sep-14	35.64	26.69	8.95	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	24-Oct-14	35.64	27.62	8.02	<1	<1	<1	<2	<2	<1	<b>0.58</b>	<0.1	<1	<1.4
	21-Nov-14	35.64	27.39	8.25	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	<1.4
	17-Dec-14	35.64	27.46	8.18	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Jan-15	35.64	26.16	9.48	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	18-Feb-15	35.64	27.26	8.38	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	25-Mar-15	35.64	27.08	8.56	<1	<1	<1	<2	<2	<1	<b>0.11</b>	<0.1	<1	NS
	24-Apr-15	35.64	26.90	8.74	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	28-May-15	35.64	26.85	8.79	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	23-Jun-15	35.64	26.66	8.98	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	30-Jul-15	35.64	26.71	8.93	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	20-Aug-15	35.64	26.39	9.25	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<1	NS
	22-Sep-15	35.64	27.50	8.14	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	20-Oct-15	35.64	27.84	7.80	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	19-Nov-15	35.64	27.92	7.72	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	17-Dec-15	35.64	27.98	7.66	NS	NS	NS	NS	NS	NS	<b>0.16</b>	NS	NS	NS
	5-Jan-16	35.64	27.67	7.97	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	22-Feb-16	35.64	28.16	7.48	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	16-Mar-16	35.64	27.76	7.88	NS	NS	NS	NS	NS	NS	<0.1	NS	NS	NS
	22-Apr-16	35.64	27.54	8.10	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	<1.4

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
RW-2D	4-Mar-13	40.54	30.95	9.59	<1	<1	<1	<2	<2	<1	<b>100</b>	<0.1	<1	NS
	4-Jun-13	40.54	30.72	9.82	<1	<1	<1	<2	<2	<1	<b>23</b>	<0.1	<1	NS
	30-Jan-14	40.54	43.23	-2.69	<1	<1	<1	<2	<2	<1	<b>17</b>	NS	<1	NS
	28-Apr-14	40.54	43.70	-3.16	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	25-Jul-14	40.54	29.66	10.88	<1	<1	<1	<2	<2	<1	<b>0.33</b>	NS	<b>1.2</b>	NS
	24-Oct-14	40.54	31.57	8.97	<1	<1	<1	<2	<2	<1	<b>0.18</b>	NS	<b>3.6</b>	NS
	23-Jan-15	40.54	40.58	-0.04	<1	<1	<1	<2	<2	<1	<b>0.12</b>	<0.1	<b>2.8</b>	NS
	24-Apr-15	40.54	40.90	-0.36	<1	<1	<1	<2	<2	<1	<b>0.20</b>	<0.1	<b>2.1</b>	NS
	30-Jul-15	40.54	40.41	0.13	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<b>2.2</b>	NS
	21-Oct-15	40.54	40.82	-0.28	<1	<1	<1	<2	<2	<1	<b>0.20</b>	NS	<b>2.4</b>	NS
	7-Jan-16	40.54	40.75	-0.21	<1	<1	<1	<2	<2	<1	<b>0.11</b>	NS	<b>2.6</b>	NS
	21-Apr-16	40.54	40.91	-0.37	<1	<1	<1	<2	<2	<1	<0.1	NS	<b>1.6</b>	TBD

NS - Not Sampled

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
RW-3B	5-Sep-12	39.45	30.15	9.30	<1	<1	<1	<2	<2	<1	<b>280</b>	NS	<b>4.1</b>	NS
	5-Dec-12	39.45	31.14	8.31	<1	<1	9.7	29.6	39.3	<1	<b>3000</b>	<b>0.66</b>	<b>120</b>	NS
	4-Mar-13	39.45	29.94	9.53	<1	<1	7.6	26.9	34.5	<1	<b>1100</b>	<b>24</b>	<b>110</b>	NS
	30-Jan-14	39.45	40.72	-1.24	<1	<1	<1	<2	<2	<1	<b>0.12</b>	NS	<1	NS
	28-Apr-14	39.45	40.92	-1.45	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	25-Jul-14	39.45	29.49	9.96	<1	<1	<1	<2	<2	<1	<b>0.22</b>	NS	<1	NS
	24-Oct-14	39.45	42.19	-2.74	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	23-Jan-15	39.45	40.75	-1.30	<1	<1	<1	<2	<2	<1	<b>0.18</b>	<0.1	<b>1.8</b>	NS
	24-Apr-15	39.45	40.98	-1.53	<1	<1	<1	<2	<2	<1	<b>0.17</b>	<0.1	<1	NS
	30-Jul-15	39.45	41.02	-1.57	<1	<1	<1	<2	<2	<1	<b>0.15</b>	<0.1	<1	NS
	21-Oct-15	39.45	40.12	-0.67	<1	<1	<1	<2	<2	<1	<b>0.15</b>	NS	<b>1.2</b>	NS
	7-Jan-16	39.45	40.52	-1.07	<1	<1	<1	<2	<2	<1	<b>0.14</b>	NS	<b>1.1</b>	NS
	21-Apr-16	39.45	47.01	-7.56	<1	<1	<1	<2	<2	<1	<b>0.19</b>	NS	<1	TBD

NS - Not Sampled



Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
RW-4	5-Sep-12	45.69	35.65	10.04	<1	<1	<1	<2	<2	<1	<b>4.7</b>	NS	<1	NS
	5-Dec-12	45.69	35.68	10.01	<1	<1	<1	2	2	<1	<b>3.5</b>	<0.1	<b>35</b>	NS
	4-Mar-13	48.18	38.02	10.16	<1	<1	<1	<2	<2	<1	<b>1.7</b>	<0.1	<1	NS
	4-Jun-13	48.18	37.77	10.41	<1	<1	<1	<2	<2	<1	<b>0.54</b>	<0.1	<1	NS
	30-Jan-14	48.18	44.90	3.28	<1	<1	<1	<2	<2	<1	<b>0.14</b>	NS	<b>1.1</b>	NS
	28-Apr-14	NS	NS	NS	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	25-Jul-14	48.15	38.82	9.33	<1	<1	<1	<2	<2	<1	<b>0.16</b>	NS	<b>1.0</b>	NS
	24-Oct-14	48.15	42.65	5.50	<1	<1	<1	<2	<2	<1	<0.1	NS	<b>1.6</b>	NS
	23-Jan-15	48.15	41.08	7.07	<1	<1	<1	<2	<2	<1	<b>0.16</b>	<0.1	<b>1.7</b>	NS
	24-Apr-15	48.15	41.79	6.36	<1	<1	<1	<2	<2	<1	<b>0.16</b>	<0.1	<b>1.2</b>	NS
	30-Jul-15	48.15	41.25	6.90	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<b>1.9</b>	NS
	21-Oct-15	48.15	43.33	4.82	<1	<1	<1	<2	<2	<1	<0.1	NS	<b>1.9</b>	NS
	7-Jan-16	48.15	47.62	0.53	<1	<1	<1	<2	<2	<1	<b>0.14</b>	NS	<b>1.4</b>	NS
	21-Apr-16	48.15	47.44	0.71	<1	<1	<1	<2	<2	<1	<b>0.18</b>	NS	<b>1.3</b>	TBD

NS - Not Sampled

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
RW-5	5-Sep-12	43.34	33.50	9.84	<1	<1	<1	<2	<2	<1	<b>26</b>	NS	<1	NS
	5-Dec-12	43.34	33.52	9.82	<1	<1	<1	<2	<2	<1	<b>52a</b>	1.5	<b>1.6</b>	NS
	4-Mar-13	43.34	33.30	10.04	<1	<1	<1	<2	<2	<1	<b>9.9</b>	<0.1	<1	NS
	4-Jun-13	43.34	33.05	10.29	<1	<1	<1	<2	<2	<1	<b>40</b>	<0.1	<1	NS
	30-Jan-14	43.34	41.75	1.59	<1	<1	<1	<2	<2	<1	<b>0.17</b>	NS	<b>1</b>	NS
	28-Apr-14	43.34	42.33	1.01	<1	<1	<1	<2	<2	<1	<0.1	NS	<1	NS
	25-Jul-14	43.34	33.97	9.37	<1	<1	<1	<2	<2	<1	<b>0.30</b>	NS	<1	NS
	24-Oct-14	43.34	41.22	2.12	<1	<1	<1	<2	<2	<1	<b>0.13</b>	NS	<1	NS
	23-Jan-15	43.34	39.81	3.53	<1	<1	<1	<2	<2	<1	<b>0.12</b>	<0.1	<b>1.1</b>	NS
	24-Apr-15	43.34	38.91	4.43	<1	<1	<1	<2	<2	<1	<b>0.20</b>	<0.1	<1	NS
	30-Jul-15	43.34	39.91	3.43	<1	<1	<1	<2	<2	<1	<b>0.18</b>	<0.1	<1	NS
	21-Oct-15	43.34	41.21	2.13	<1	<1	<1	<2	<2	<1	<b>0.13</b>	NS	<1	NS
	7-Jan-16	43.34	40.79	2.55	<1	<1	<1	<2	<2	<1	<b>0.11</b>	NS	<1	NS
	21-Apr-16	43.34	42.43	0.91	<1	<1	<1	<2	<2	<1	<b>0.21</b>	NS	<1	TBD

NS - Not Sampled

Table 1 - Groundwater Monitoring Wells - Historic Data Summary  
 Chester River Hospital Center  
 100 Brown Street  
 Chestertown, MD 21620

Well No.	Date	Top of Casing Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Naphthalene (µg/L)	Surfactant (mg/L)
<b>MDE GW Cleanup Standards for Type I and II Aquifers</b>					<b>5</b>	<b>1,000</b>	<b>700</b>	<b>10,000</b>	<b>NA</b>	<b>20</b>	<b>0.047</b>	<b>0.047</b>	<b>0.65</b>	<b>NA</b>
RW-6	5-Jun-12	47.22	47.48	-0.26	<1	<1	2.4	4.1	6.5	<1	<b>16</b>	NS	<b>33</b>	NS
	5-Sep-12	47.22	36.95	10.27	<1	<1	<1	<2	<2	<1	<b>22</b>	NS	<1	NS
	5-Dec-12	47.22	37.01	10.21	<1	<1	<1	<2	<2	<1	<b>1.4</b>	<0.1	<1	NS
	4-Mar-13	47.22	36.81	10.41	<1	<1	<1	<2	<2	<1	<b>0.53</b>	<0.1	<b>1.1</b>	NS
	4-Jun-13	47.22	36.55	10.67	<1	<1	<1	<2	<2	<1	<b>0.65</b>	<0.1	<1	NS
	28-Apr-14	47.22	46.78	0.44	<1	<1	<1	<2	<2	<1	<0.1	NS	<b>1.3</b>	NS
	25-Jul-14	47.22	36.57	10.65	<1	<1	<1	<2	<2	<1	<b>0.19</b>	NS	<b>1.1</b>	NS
	24-Oct-14	47.22	44.67	2.55	<1	<1	<1	<2	<2	<1	<0.1	NS	<b>3.3</b>	NS
	23-Jan-15	47.22	43.02	4.20	<1	<1	<1	<2	<2	<1	<b>0.12</b>	<0.1	<b>2.0</b>	NS
	24-Apr-15	47.22	43.35	3.87	<1	<1	<1	<2	<2	<1	<0.1	<0.1	<b>1.1</b>	NS
	30-Jul-15	47.22	42.20	5.02	<1	<1	<1	<2	<2	<1	<b>0.12</b>	<0.1	<b>1.4</b>	NS
	21-Oct-15	47.22	43.08	4.14	<1	<1	<1	<2	<2	<1	<0.1	NS	<b>1.7</b>	NS
	7-Jan-16	47.22	43.63	3.59	<1	<1	<1	<2	<2	<1	<b>0.12</b>	NS	<b>1.7</b>	NS
	21-Apr-16	47.22	41.54	5.68	<1	<1	<1	<2	<2	<1	<0.1	NS	<b>1.1</b>	TBD

NS - Not Sampled