

Protect^{PLUS}

Superior product protection
against filiform corrosion.

NEW



Longer service life,
visually and
mechanically.



Greater protection
from environmental
damage.




Available for Metalunic,
Grinotex, Lamisol and
Solomatic.

 **GRIESSER**

An invisible guard for a visibly longer service life.

Protect PLUS is Griesser's innovative solution for protecting venetian blinds in especially challenging operating environments. Be it amid salty sea breezes or thick city air, the extra coating provided by Protect PLUS protects the product from extreme environmental influences and reduces the development of filiform corrosion significantly.



Our anti-corrosion power pack

The transparent and highly effective Protect PLUS primer is applied directly onto the raw aluminum slat, and provides optimum bonding with the outer paint layer. The result: venetian blinds that are more resistant to damage and will retain their good looks longer, also in the quality of the paint layer applied.

Good to know

The additional Protect PLUS coating is not a substitute for regular product cleaning and care. All the product care guidelines provided by Griesser AG should still be followed as specified in the corresponding operating instructions.

Operating instructions:

- [Metalunic](#)
- [Solomatic](#)
- [Grinotex](#)
- [Lamisol](#)

Protect PLUS

Filiform corrosion is a kind of corrosion that can affect aluminum parts beneath their powder coating in some environmental conditions. However well such parts have been fabricated and coated, a filament-shaped corrosion may develop which, in time, can cause the coating to break up.



Maximum protection: With the Protect PLUS option, Metalunic, Grinotex, Lamisol and Solomatic meet the rigorous standards EN 13659:2015 of Protection class corrosion C4.



The Protect PLUS package further includes:

For Metalunic*:

Nickel-plated chains are used instead of the standard type. The housing and the guide rails, including fastenings, closing crossbar and connecting bracket, are all provided with a baked enamel finish.

For Grinotex*:


Nickel-plated chains are used instead of the standard type. The end-rail, the housing with the requisite fastening rod, the guide rails and the closing crossbar and connecting bracket are all provided with a baked enamel finish.

For Lamisol III*/**:

The slats are additionally coated and the end rail and the support channel, including the required fixing brackets, are "stove"-enamelled. The guide rails are also "stove"-enamelled, including the fixings and the connecting bracket with the locking strip.

* not applicable to manually operated systems

** not applicable with cable guides or manual drive



Inspired by the **Sun.**

griesser.com

